
Princeton Plasma Physics Laboratory

PPPL-5290

Annual Site Environmental Report for Calendar Year 2015

Virginia Finley

September 2016



Prepared for the U.S. Department of Energy under Contract DE-AC02-09CH11466.

Annual Site Environmental Report

PPPL - 5290

2015



Princeton Plasma Physics Laboratory

Operated by Princeton University For the U.S. Department of
Energy Under Contract DE-AC02-09CH11466



**2015 Annual Site Environmental Report
Table of Contents**

EXECUTIVE SUMMARY	1
1.0 INTRODUCTION.....	5
1.1 Site Mission	5
1.2 Site Location	6
1.3 General Environmental Setting	8
1.4 Primary Operations and Activities.....	9
1.5 Relevant Demographic Information.....	9
2.0 2015 COMPLIANCE SUMMARY AND ENVIRONMENTAL STEWARDSHIP	10
2.1 Laws and Regulations	10
2.2 Site Compliance and Environmental Management System (EMS) Assessments.....	10
2.3 Environmental Permits.....	11
2.4 External Oversight and Assessments	18
2.5 Emergency Reporting of Spills and Releases.....	18
2.6 Notice of Violations and Penalties	19
2.7 Green and Sustainable Remediation.....	19
2.8 Adaption to Climate Change	19
2.9 Environmental Stewardship	19
2.9.1 Earth Week 2015.....	19
2.9.2 America Recycles Day at PPPL	21
3.0 ENVIRONMENTAL MANAGEMENT SYSTEM (EMS).....	22
3.1 DOE Sustainability Goals	22
3.1.1 Energy Efficiency	23
3.1.2 Renewable Energy.....	23
3.1.3 Greenhouse Gas Emissions	24
3.1.4 Fleet Management.....	25
3.1.5 Water Efficiency.....	25
3.2 Energy Efficient "Green" Buildings.....	26
3.3 Sustainability Awards	26
4.0 ENVIRONMENTAL NON-RADIOLOGICAL PROGRAM INFORMATION	31
4.1 Non-Radiological Water Programs.....	31
4.1.1 New Jersey Pollutant Discharge Elimination System (NJPDES) Program.....	31
A. Monthly Discharge Monitoring Reports (DMR).....	31
B. Acute Toxicity Study.....	33
C. Chronic Whole Effluent Toxicity Study.....	33
D. Waste Characterization Report (WCR)	33
4.1.2 Lined Surface Impoundment Permit (LSI).....	34
4.1.3 Ground Water	35
A. NJPDES Ground Water Program	35
B. Regional Ground Water Monitoring Program	35
4.1.4 Metered Water	35
A. Drinking (Potable) Water	35
B. Process (Non-potable) Water	36
C. Surface Water	36

**2015 Annual Site Environmental Report
Table of Contents**

	D. Sanitary Sewage	36
4.2	Non-Radiological Waste Programs.....	36
4.2.1	Hazardous Waste Program	36
	A. Toxic Substance Control Act (TSCA)	36
	B. Hazardous Waste/Universal Waste.....	37
	C. Recycled Hazardous Waste	37
4.3	Environmental Protection Programs.....	37
4.3.1	Release Programs	37
	A. Spill Prevention Control and Countermeasure (SPCC)	37
	B. Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Continuous Release Reporting	37
	C. Superfund Amendment Reauthorization Act (SARA) Title III Reporting Requirements.....	38
4.3.2	Environmental Releases	39
4.3.3	Pollution Prevention Program	39
4.4	Non-Radiological Emissions Monitoring Programs.....	39
4.5	Land Resources and Conservation	41
4.5.1	Wetlands Letter of Interpretation (LOI)	41
4.5.2	Soil Erosion and Landscaping.....	41
4.5.3	Herbicides and Fertilizers	41
4.5.4	Stormwater Pollution Prevention.....	42
4.6	Safety.....	42
5.0	ENVIRONMENTAL RADIOLOGICAL PROGRAM INFORMATION.....	43
5.1	Radiological Emissions and Doses.....	43
5.1.1	Penetrating Radiation.....	44
5.1.2	Sanitary Sewage.....	44
5.1.3	Radioactive Waste	46
5.1.4	Airborne Emissions - Differential Atmospheric Tritium Samplers (DATS)	46
5.2	Release of Property Containing Residual Radioactive Material.....	46
5.3	Protection of Biota	47
5.4	Unplanned Releases.....	47
5.5	Environmental Radiological Monitoring	47
5.5.1	Waterborne Radioactivity.....	47
	A. Surface Water	47
	B. Ground Water	48
	C. Drinking (Potable) Water	48
5.5.2	Foodstuffs, Soil, and Vegetation.....	48
6.0	SITE HYDROLOGY, GROUNDWATER MONITORING, AND DRINKING WATER PROTECTION	49
6.1	Lower Raritan River Watershed	49
6.2	Geology and Topography	50
6.3	Biota	51
6.4	Flood Plain.....	51
6.5	Groundwater Monitoring	52
6.5.1	Monitoring Wells	52
6.5.2	Sampling Events.....	53

2015 Annual Site Environmental Report

Table of Contents

6.5.3	Remedial Action Work Plan (RAWP)	54
6.5.4	Monitoring Natural Attenuation	55
6.6	Drinking Water Protection	56
7.0	QUALITY ASSURANCE	57
7.1	Lab Certification - Proficiency Testing	57
7.1.1	Radiological Parameters	58
7.1.2	Non-Radiological Parameters	58
7.2	Subcontractor Labs.....	59
7.3	Internal QA/QC.....	59
7.3.1	Internal audit.....	59
7.3.2	Internal QA Check	60
7.3.3	Calibrations	60
7.3.4	Chemicals	60
7.4	External QA/QC	60
8.0	REFERENCES	61
9.0	ACKNOWLEDGEMENTS	68
Appendix A.	2015 TABLES	69
Appendix B.	REPORT DISTRIBUTION LIST	90
	List of Exhibits Contained in Text	iv
	List of Acronyms	vi
	PPPL Certification of Monitoring Data for Annual for Site Environmental Report 2015	x

**2015 Annual Site Environmental Report
List of Exhibits in Text**

Exhibit # in Text	Title	Page
1-1	Region Surrounding PPPL (50-mile radius shown)	6
1-2	PPPL James Forrestal Campus (JFC), Plainsboro, NJ.....	7
1-3	Aerial View of PPPL.....	8
2-1	Applicable Environmental Laws and Regulations – 2015 Status.....	12
2-2	EMS Audit Results October 2011 to November 2014	18
2-3	PPPL’s 2015 Earth Week.....	19
2-4	Bike Banner Promoting Cycling	20
2-5	PPPL’s Earth Week Poster	20
2-6	Earth Week's Green Machine Recipients	21
2-67	ARD Electronics Collections.....	21
3-1	Annual Non-Experimental Energy Intensity in BTU/gsf	23
3-2	Summary of PPPL Scope 1 & 2 GHG Emissions between 2008 and 2015	24
3-3	Annual Non-Exempt Fleet Petroleum Fuel Use Between 2005 and 2015	24
3-4	FY2015 Non-Exempt Fleet Fuel Use by Type.....	25
3-5	PPPL Potable Water Intensity.....	26
3-6	2015 DOE Sustainability Goal Summary Table for PPPL.....	27
4-1	2015 NJPDES Permit Compliance, NJPDES Permit NJ0023922	32
4-2	NJPDES Reporting Requirements for 2015.....	33
4-3	PPPL Lined Surface Impoundment/Basin, Flow Sensor, and Discharge Gate	34
4-4	PPPL Potable Water Use from NJ American Water Co.....	35
4-5	PPPL Non-Potable Water Use from Delaware & Raritan Canal	35
4-6	2015 Waste Shipments.....	37
4-7	2015 Summary of PPPL EPCRA Reporting Requirements	38
4-8	2015 Hazardous Class of Chemicals at PPPL	38
4-9	PPPL's Air-Permitted Equipment.....	40
4-10	PPPL's Boiler Emissions from 2002-2015 vs. Regulatory Limits	40
4-11	2015 Fertilizer and Herbicide Use	41
4-12	2015 PPPL's Safety Performance	42
5-1	Summary of 2015 Emissions and Doses from D-site Operations.....	44
5-2	Annual Releases to Sanitary System from Liquid Effluent collection Tanks 1994 to 2015.....	45

**2015 Annual Site Environmental Report
List of Exhibits in Text**

Exhibit #	Title	Page
5-3	Total Annual Releases (LEC tanks) to Sanitary System from 1994 to 2015.....	45
5-4	Total Low-Level Radioactive Waste 1997-2015	45
5-5	B-box with Liner in RWHF for Shipping Radioactive Waste to Clive	46
6-1	Millstone River Watershed Basin	50
6-2	Generalized Potentiometric Surface of the Bedrock Aquifer at PPPL.....	52
6-3	2015 Monitoring Wells.....	53
6-4	2015 Groundwater Contamination	53
6-5	Well Monitoring Setup - Compressed Air, Water Depth Meter, Collection Bucket and Probe	54
6-6	Groundwater Parameters.....	54
6-7	Typical PCE Degradation Pathway.....	54
6-8	PCE Concentration vs. Time at MW-19S (1998-2015).....	56
7-1	PEARL Chlorine Standard Check for Accuracy.....	57
7-2	Distilling Sample for Tritium Analysis Performed at PEARL	57
7-3	2015 Radiological Certified Parameters.....	58
7-4	2015 Non-Radiological Certified Parameters	59

NOTE: *Data tables are located in Appendix A - 2015 Tables beginning on page 69.
All tables as noted in the report are located in Appendix A.*

2015 Annual Site Environmental Report
List of Acronyms

AEA	Atomic Energy Act of 1954
AFV	alternative fuel vehicles
ALARA	as low as reasonably achievable
ARD	America Recycles Day (November 15 th)
ASER	Annual Site Environmental Report
B1, B2	Bee Brook 1 (upstream of DSN001) and 2 (downstream of DSN001) (surface water stations)
B-20/100	biofuel (20%/100%)
BCG	biota concentration guide
Bq	Becquerel
BTU/gsf	British Thermal Unit per gross square feet
°C	Degrees Celsius
C- & D-	C & D-sites of James Forrestal Campus, currently site of PPPL
C1	Canal - surface water monitoring location (Delaware & Raritan Canal)
c-1,2-DCE	cis-1,2-dichloroethylene
C&D	Construction and demolition (waste)
CAA	Clean Air Act
CAS	Coil Assembly and Storage building
CDX-U	Current Drive Experiment – Upgrade (at PPPL)
CEA	classified exception area
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CEDR	Comprehensive Energy Data Report
CEQ	Council on Environmental Quality
CFR	Code of Federal Regulations
Ci	Curie (3.7 ^{E10} Becquerel)
cm	centimeter
CO	carbon monoxide
CO ₂	carbon dioxide (GHG)
CO _{2e}	carbon dioxide equivalent
COD	chemical oxygen demand
CPO	chlorine-produced oxidants known as total residual chlorine
CWA	Clean Water Act
CXs	categorical exclusions
CY	calendar year
D-D (DD)	deuterium-deuterium
DART	days away, restricted transferred (case rate - Safety statistic)
DATS	differential atmospheric tritium sampler
DESC	Defense Energy Supply Center
DMR	discharge monitoring report
DOE	Department of Energy
DOE-PSO	Department of Energy - Princeton Site Office
DOT	Department of Transportation
DPCC	Discharge Prevention Control and Containment
dpm	disintegrations per minute
D&R	Delaware & Raritan (Canal)
DSN	discharge serial number
E1	surface water monitoring station (NJ American Water Co. potable water source)
E-85	ethanol (85%) fuel
EDE	effective dose equivalent

2015 Annual Site Environmental Report
List of Acronyms

EHS	extremely hazardous substance
EISA	Energy Independence and Security Act, Section 432
EML	Environmental Monitoring Laboratory (DOE)
EMS	Environmental Management System
EO	Executive Order
EPA	Environmental Protection Agency (US)
EPCRA	Emergency Planning and Community Right to Know Act
EPEAT	Electronic Product Environmental Assessment Tool
EPP	Environmentally Preferred Products
ESD	Environmental Services Division (PPPL)
ES&H	Environment, Safety, and Health
ESHD	Environment, Safety, & Health Directives
ESPC	Energy Savings Performance Contract
°F	Degrees Fahrenheit
FFCA	Federal Facility Compliance Act
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FY	fiscal year (October 1 to September 30)
GGE	Gasoline gallon equivalent
GHGs	greenhouse gases
GP	Guiding principles
GPD	gallons per day
GPP	General plant projects
GSA	General Services Administration
GSF	gross square feet
GSR	green sustainable remediation
HAZMAT	hazardous materials
HP	Health Physics Division of ES&H
HPSB	high performance and sustainable buildings
HT	tritium (elemental)
HTO	tritiated water or tritium oxide
IC25	Inhibition concentration
ILA	Industrial landscaping and agriculture
ISO14001	International Standards Organization 14001 (Environmental Management System – EMS)
ITER	International Thermonuclear Experimental Reactor (France)
JFC	James Forrestal Campus
JET	Joint European Torus facility (United Kingdom)
km	kilometer
kWh	kilowatt hour
LEC	liquid effluent collection (tanks)
LED	Light emitting diode
LEED®	Leadership in Energy and Environmental Design
LEED®-EB	Leadership in Energy and Environmental Design - Existing Buildings
LLW	Low level waste
LSB	Lyman Spitzer Building (Formerly Laboratory Office Building)
LSRP	Licensed Site Remediation Professional
LOI	Letter of Interpretation (Wetlands)
LOTO	lock-out, tag-out (electrical safety)
LSI	lined surface impoundment

2015 Annual Site Environmental Report
List of Acronyms

LTX	Lithium Tokamak Experiment
M1	Millstone River (surface water station)
MC&A	Material Control & Accountability (nuclear materials)
MEI	Maximally Exposed Individual
MG	Motor Generator (Building)
MGD	Million gallons per day
mg/L	milligram per liter
M&O	Maintenance & Operations
MNA	Monitored Natural Attenuation
mrem	milli roentgen equivalent man (per year)
MRX	Magnetic Reconnection Experiment
MSDS	Material Safety Data Sheet
msl	mean sea level (in feet)
mSv	milliSievert
MT (mt)	metric ton (equivalent to 2,204.6 pounds or 1.10 tons)
MW	monitoring well
Mwh	Megawatt hour
MSW	Municipal solid waste
NBI	Neutral Beam Injector(s)
NCSX	National Compact Stellarator Experiment
NEPA	National Environmental Policy Act
NESHAPs	National Emission Standards for Hazardous Air Pollutants
NHPA	National Historic and Preservation Act
NIST	National Institute of Standards and Technology
NJAC	New Jersey Administrative Code
NJDEP	New Jersey Department of Environmental Protection (prior to 1991 and after July 1994)
NJPDES	New Jersey Pollutant Discharge Elimination System
NOEC	no observable effect concentration
NOVs	Notice of violations
NO _x	nitrogen oxides
NPDES	National Pollutant Discharge Elimination System
NSTX-U	National Spherical Torus Experiment Upgrade
NVLAP	National Voluntary Laboratory Accreditation Program (NIST)
ODS	ozone-depleting substances (Class I and II)
OPEX	Operating expenses (PPPL budget)
ORPS	occurrence reporting and processing system ((DOE accident/incident reporting system)
OSHA	Occupational Safety and Health Agency
P1, P2	Plainsboro 1 (Cranbury Brook) and 2 (Devil's Brook) (surface water stations)
PCs	personal computer(s)
PCBs	polychlorinated biphenyls
PCE	perchloroethylene, tetrachloroethene, or tetrachloroethylene
pCi/L	picoCuries per liter
PE	Professional engineer
PEARL	Princeton Environmental, Analytical, and Radiological Laboratory
PFC	Princeton Forrestal Center
PJM	Pennsylvania, Jersey, Maryland (Electric-power grid controllers/operators)
POTW	publicly-owned treatment works
PPA	Power Purchase Agreement

2015 Annual Site Environmental Report
List of Acronyms

PPPL	Princeton Plasma Physics Laboratory
PSO	Princeton Site Office (DOE)
PSTP	Preliminary Site Treatment Plan
PT	proficiency test (Laboratory certification)
PTE	potential to emit (air emissions)
PUE	Power utilization effectiveness
QA	Quality assurance
RAA	Remedial Alternative Assessment
RASR	Remedial Action Selection Report
RAWP	Remedial Action Work Plan
RCRA	Resource Conservation and Recovery Act
REC	renewable energy credits
redox	oxidation-reduction (potential)
rem	roentgen equivalent man
RESA	Research Equipment Storage and Assembly Building
RI	Remedial Investigation
RWHF	Radiological Waste Handling Facility
SF ₆	sulfur hexafluoride (GHG)
SARA	Superfund Amendments and Reauthorization Act of 1986
SBRSA	Stony Brook Regional Sewerage Authority
SDWA	Safe Drinking Water Act
SESC	Soil erosion and sediment control
SO ₂	sulfur dioxide
SPCC	Spill Prevention Control and Countermeasure
SWPPP	Stormwater Pollution Prevention Plan
SVOCs	semi-volatile organic compounds
TCE	trichloroethene or trichloroethylene
TFTR	Tokamak Fusion Test Reactor
TPHC	total petroleum hydrocarbons
TRI	Toxic Reduction Inventory (CERCLA)
TSCA	Toxic Substance Control Act
TSS	total suspended solids
TW	test wells
UL-DQS	Underwriters Laboratories-DQS (Germany's first certification body)
VOCs	volatile organic compounds
WCR	Waste Character
µg/L	micrograms per liter

**Princeton Plasma Physics Laboratory (PPPL)
Certification of Monitoring Data for
Annual Site Environmental Report for 2015**

Contained in the following report are data for radioactivity in the environment collected and analyzed by Princeton Plasma Physics Laboratory's Princeton Environmental, Analytical, and Radiological Laboratory (PEARL). The PEARL is located on-site and is certified for analyzing radiological and non-radiological parameters through the New Jersey Department of Environmental Protection's Laboratory Certification Program, Certification Number 12471. Non-radiological surface and ground water samples are analyzed by NJDEP certified subcontractor laboratories – QC, Inc. and Accutest Laboratory. To the best of our knowledge, these data, as contained in the "Annual Site Environmental Report for 2015," are documented and certified to be correct.

Signed:

Virginia L. Finley,
Head, Environmental Compliance
Environmental Services Division

Robert S. Sheneman,
Deputy Head
Environment, Safety, & Health Department

Approved:

Jerry D. Levine,
Head
Environment, Safety, & Health Department



Executive Summary

Princeton Plasma Physics Laboratory Annual Site Environmental Report for Calendar Year 2015


This report presents the results of environmental activities and monitoring programs at the Princeton Plasma Physics Laboratory (PPPL) for Calendar Year 2015. The report provides the U.S. Department of Energy (DOE) and the public with information on the level of radioactive and non-radioactive pollutants, if any, that are released into the environment as a result of PPPL operations. The report also summarizes environmental initiatives, assessments, and programs that were undertaken in 2015. The objective of the Site Environmental Report is to document PPPL's efforts to protect the public's health and the environment through its environmental protection, safety, and health programs.

Since 1951, the Princeton Plasma Physics Laboratory has engaged in fusion energy research. Fusion is the reaction that occurs in our sun as well as in other stars. During fusion reactions, the nuclei of hydrogen atoms in a plasma state, *i.e.* as an ionized gas, fuse or join forming helium atoms and releasing of neutrons and energy. Unlike the sun, PPPL's fusion reactions are magnetically confined within a vessel or reactor under vacuum conditions. The long-range goal of the U.S. Magnetic Fusion Energy Science program is to develop and demonstrate the practical application of fusion power as a safe, alternative energy source replacing power plants that burn fossil fuels. Energy from fusion power plants would boil water for steam that drives electric-generating turbines without the production of greenhouse gases and other air pollutants.

National Spherical Torus Experiment - Upgrade


2015 marked the seventeenth year of the National Spherical Torus Experiment (NSTX). Completed in 2015 at a cost of \$94 million, the NSTX upgrade project, the redesign of the center stack magnets and the addition of a second neutral beam box from the former Tokamak Fusion Test Reactor (TFTR), were in place to begin the operation of the most advanced spherical tokamak in the world.

In drawing on the right, the vacuum vessel is spherical in shape; the person standing to the right of the base illustrates the scale of this device. The new center column or stack shown in a yellow outline, are two magnets bound together – one contains vertical copper bars creating a magnetic field up and down the stack. The other is a coil wound around the center that drives a magnetic force or current through the plasma, which produces round-shape plasmas. The new center stack design will increase the field strength to one tesla - or 20,000 times the strength of Earth's magnetic field. The magnetic field generated by the poloidal field coils is used to control the plasma shape within the vacuum vessel. For the NSTX research collaborators from 30 U.S. institutions and 11 other countries, the project is a major effort to produce a smaller, more economical fusion reactor that will address some of fusion's unanswered questions.



**The National Spherical Torus Experiment
Heated by Neutral Beam Injection (NBI)**

New Neutral Beam Original Neutral Beam



The second neutral beam line will inject neutral atoms, deuterium (hydrogen isotope with one neutron), into the ionized gas or plasma causing the plasma to heat to temperatures on the order of 100 million degrees. The plasma is also heated by radio-frequency waves and together with the neutral beam injection, will allow for greater heat capacity and hotter experimental plasmas. In the photo to the left, the two neutral beam injectors (NBI) are shown.

ITER Cadarache, France

ITER in Latin means "the way" and is the name of the large international fusion experiment located in the Provence-Alpes-Côte-d'Azur region in southeastern France. Construction began in 2007 with a completion date in the early 2020's. When operational ITER will generate 10 times the external power delivered to heat the plasma. PPPL, partnering with Oak Ridge National Laboratory, leads the U.S. ITER Project that coordinates U.S. ITER activities - lending to the project design, construction, and technical expertise.

PPPL Maximum Off-site Dose in 2015

When the total maximum off-site dose for 2015 was calculated, PPPL's radiological contribution was a fraction of the 10 milli roentgen equivalent man per year (mrem/year) PPPL objective and the 100-mrem/year DOE limit. Based on the radiological monitoring program data, the dose results for 2015 were:

1. *Maximum exposed individual (MEI) dose from all sources—airborne and liquid releases—was 2.11×10^{-3} mrem per year (2.11×10^{-5} person-Sv per year).*
In
2. *The collective effective dose equivalent for the population living within 80 kilometers was 0.077 person-rem (0.77×10^{-3} person-Sv).*

In 2015, Princeton Plasma Physics Laboratory received the following recognition:

- ❖ The Green Electronics Council highest honor -three-star "EPEAT Purchaser Award" – was presented to the Laboratory during the 2015 Earth Day ceremony at the U.S. Department of Energy's headquarters in Washington, D. C. The award recognized PPPL's outstanding effort to purchase sustainable electronics that use less energy and are donated or recycled after they are no longer used.
- ❖ About 82% of PPPL's electronic purchasers met EPEAT's green electronics standards.

PPPL is undertaking a campus-wide plan through improvements to the existing facilities by renovating and modernizing office and storage space in addition to consolidating technical machine shops. The project known as the Infrastructure and Operation Improvements (IOI) Project, is funded by the US Department of Energy's Office of Science. In 2015, the first IOI phase began with the removal of obsolete equipment and systems in the C-site motor generator (MG) building. Survey of C-site MG found surfaces with polychlorinated biphenyls (PCBs) contamination, which were either cleaned or removed. The second phase will continue into CY2016 with office and storage renovations expected to be completed in CY2018.

PPPL Environmental Achievements and Activities in 2015



PPPL encourages its employees to practice environmental stewardship principles in their daily lives through their personal purchases and recycling activities as well as at PPPL. Each year, the Laboratory hosts events such as Earth Week in April and America Recycles Day in November when information on green products and recycling opportunities are provided. PPPL's "Green Team" designs programs and activities to help green PPPL and the whole community.

An independent registrar company, UL-DQS, evaluated PPPL's Environmental Management System (EMS) program comparing it with the International Standards Organization or ISO 14001 program in late 2014. This audit concluded that PPPL's EMS is compliant with the ISO standard, and in 2015, PPPL received ISO recertification. The auditors cited nine strengths and improvement potentials, seven recommendations, and no audit findings. An example of a strength is the clarity and readability of the six page "Summary of Legal and Other Requirements Matrix", Appendix B of PPPL's Environmental Management System Program, that maps the requirements with the lead organization, PPPL's applicable document(s), and the associated compliance assessment.

The Laboratory continues to promote all aspects of its ES&H program as it has in its fusion research program. Efforts are geared not only to full compliance with applicable local, state, and federal regulations, but also to achieve a level of excellence in ES&H performance. PPPL is an institution that serves other research facilities and the nation by providing valuable information gathered from its fusion research program.



Introduction

The DOE Princeton Plasma Physics Laboratory is a Collaborative National Center for plasma and fusion science. Its primary mission is to develop the scientific understanding and the key innovations which will lead to an attractive fusion energy source. Associated missions include conducting world class research along the broad frontier of plasma science and technology, and providing the highest quality of scientific education. Our vision is “To create the innovations which will make fusion power a practical reality”.

1.1 Site Mission

The U.S. Department of Energy’s Princeton Plasma Physics Laboratory (PPPL) is a Collaborative National Center for plasma and fusion science. Its primary mission is to develop scientific understandings and key innovations leading to an attractive fusion energy source [PPPL08a]. Related missions include conducting world-class research along the broad frontier of plasma science, providing the highest quality of scientific education and experimentation, and participating in technology transfer and science education projects/programs within the local community and nation-wide.

The National Spherical Torus Experiment (NSTX) is a collaborative project among 30 U.S. laboratories, including Department of Energy National Laboratories, universities, and institutions, and 28 international institutes from 11 countries. Also located at PPPL are smaller experimental devices, the Magnetic Reconnection Experiment (MRX), the Lithium Tokamak Experiment (LTX) and Hall Thruster, which investigate plasma physics phenomena.

As a part of both off and on-site collaborative projects, PPPL scientists assist fusion programs within the United States and in Europe and Asia. To further fusion science in 2015, PPPL collaborated with other fusion research laboratories across the globe on the Joint European Torus (JET) facility located in the United Kingdom, and the International Thermonuclear Experimental Reactor or ITER, which in Latin means “The Way,” located in Cadarache, France. PPPL's main fusion experiment, the National Stellarator Tokamak


Experiment Upgrade project (NSTX-U), began in 2011 and is scheduled for completion in mid-2015.

1.2 Site Location

The Princeton Plasma Physics Laboratory site is in the center of a highly urbanized Northeast region. The closest urban centers are New Brunswick, 14 miles (22.5 km) to the northeast, and Trenton, 12 miles (19 km) to the southwest. Within a 50-mile (80 km) radius are the major urban centers of New York City, Philadelphia, and Newark (Exhibit 1-1).


The site is located in Plainsboro Township in Middlesex County (central New Jersey), adjacent to the municipalities of Princeton, Kingston, East and West Windsor, and Cranbury, NJ. The Princeton area continues to experience a sustained growth of new businesses locating along the Route 1 corridor near the site. In 2012 construction was completed on the new University Medical Center of Princeton Center at Plainsboro, which is located less than 2 miles south of PPPL. Princeton University's main campus is approximately three miles west of the site.

Exhibit 1-1. Region Surrounding PPPL (50-mile radius shown)



PPPL, then known as "Project Matterhorn", was first established on A- and B- sites of the James Forrestal Campus (JFC), Princeton University's research center named for Princeton graduate (Class of 1915) and the first Secretary of Defense, James Vincent Forrestal. Located east of U.S. Route 1 North, PPPL has occupied the C- and D-site location since 1959 (Exhibit 1-2). The alphabet designation was derived from the names given to the Stellarator models, those early plasma fusion devices.

Exhibit 1-2. PPPL James Forrestal Campus (JFC), Plainsboro, NJ



Surrounding the site are lands of preserved and undisturbed areas including upland forest, wetlands, open grassy areas, and a minor stream, Bee Brook, which flows along PPPL's eastern boundary. These areas are designated as open space in the James Forrestal Campus (JFC) site development plan.

D-site is fully surrounded by a chain-linked fence topped with barbed wire for security purposes. Access to D-site is limited to authorized personnel through the use of card readers. PPPL's Site Protection Division controls access to C-site allowing the public and

visitor access following an identification check. Vehicle inspections may occur prior to entrance.

Exhibit 1-3. Aerial View of PPPL



The aerial photo above (Exhibit 1-3) shows the general layout of the facilities at the C- and D-sites of JFC as viewed from the North-East; the former TFTR and current NSTX-U Test Cells are located at D-site (on the left side of photo).

1.3 General Environmental Setting

The climate of central New Jersey is classified as mid-latitude, rainy climate with mild winters, hot summers, and no dry season. Temperatures may range from below zero to above 100 degrees Fahrenheit (°F) (17.8°Celsius (C) to 37.8° C); extreme temperatures typically occur once every five years. Approximately half the year, from late April until mid-October, the days are freeze-free.

The typical regional climate is moderately humid with a total average precipitation about 46 inches (116 cm) evenly distributed throughout the year. Severe droughts typically 39.8 inches (101.1 cm), or 6 inches (15 cm) below the average rainfall for central New Jersey.

The most recent archaeological survey was conducted in 1978 as part of the TFTR site environmental assessment study. Through historical records reviews, personal interviews, and field investigations, one projectile point and a stone cistern were found.

Apparently, the site had limited occupation during prehistoric time and has only in recent times been actively used for farming. No significant archeological resources were identified on-site. There are more significant examples of prehistoric occupation in areas closer to the Millstone River, which are within two miles of the site [Gr77].

1.4 Primary Operations and Activities

Several magnetic fusion experiments, including NSTX, MRX, and LTX, currently operate at PPPL. NSTX is the Laboratory's largest experiment and it is located on D-site. NSTX has produced one million amperes of plasma current, setting a new world record for a spherical torus device. This device is designed to test the physics principles of spherical-shaped plasmas forming a sphere with a hole through its center. Plasma shaping is an important parameter for plasma stability and performance enabling viable fusion power. NSTX ceased operations in 2011 and was partially dismantled for major upgrades which were finished in 2015. The upgraded experiment, known as NSTX-U, will have twice the plasma heating power and magnetic confinement and be able to extend the pulse duration by five times.

LTX continues to explore new paths for plasma energy efficiency and sustainability, after producing its first plasma in 2008. The primary goal of LTX is to investigate the properties of a lithium liquid coating for plasma surfaces or plasma-facing component (PFC). The previous experiment, Current Drive Experiment-Upgrade (CDX-U) held the lithium in a circular tray at the base of the vacuum vessel. The LTX liquid lithium was evaporated and deposited a thin layer inside the vacuum vessel and kept liquid by heater in the shell.

PPPL's Magnetic Reconnection Experiment (MRX) investigates the explosive process of magnetic reconnection, giving rise to astrophysical events that include auroras, solar flares and geomagnetic storms. The process occurs when the magnetic field lines in plasmas break and violently reconnect. Generating and studying reconnection under controlled laboratory conditions can yield insights into solar outbursts and the formation of stars, and to greater control of experimental fusion reactions.

1.5 Relevant Demographic Information

Using data from the 2012 American community survey, there are 17.7 million people living within a 50 mile radius of the laboratory, totaling to roughly 2,258 people per a square mile. There are just over 100,000 people living within a 5 mile radius. The 2013 US Census Bureau Statistics estimates that Middlesex County has a population of 828,919. Adjacent counties have populations of 370,414 (Mercer), 629,672 (Monmouth), 330,585 (Somerset), and 548,256 (Union) [US13]. Other information gathered and updated from previous An earlier proposed project, Compact Ignition Tokamak, ITER studies include socioeconomic information [Be87b] and an ecological survey, which were studies describing pre-TFTR conditions [En87].

2015 ENVIRONMENTAL COMPLIANCE SUMMARY and ENVIRONMENTAL STEWARDSHIP

Princeton Plasma Physics Laboratory's (PPPL) environmental goals are to fully comply with environmental regulations, to conduct our scientific research and operate our facilities in a manner protective of human health and the environment, and to promote sustainable practices wherever possible. In 2015, PPPL has accomplished these goals while operating within its permitted limits as documented in the following chapter. In addition, PPPL promotes good environmental practices through its Earth Day and America Recycle Day activities for its employees.

PPPL initiates actions which enhance and document compliance with these requirements. Compliance with applicable federal, state, and local environmental statutes or regulations, and Executive or DOE Orders is an important piece of PPPL's primary mission.

2.1 Laws and Regulations

Exhibit 2.1 summarizes the environmental statutes and regulations applicable to PPPL's activities, as well as summarizing the 2015 compliance status and providing the ASER sections where further details are located. The list of "Applicable Environmental Laws and Regulations – 2015 Status" conforms to PPPL's Environmental Management System (EMS) Appendix B, "Summary of Legal and Other Requirements" [PPPL15c].

2.2 Site Compliance and Environmental Management System (EMS) Assessments

In 2015, PPPL's Quality Assurance (QA) Division performed one internal environmental audit of PPPL's Environmental Management System (EMS). This audit included follow-up of the findings and recommendations made by UL-DQS's 2014 annual surveillance audit, which is tracked through PPPL's internal QA Audit Database. In 2015, UL-DQS, Inc. conducted the triennial certification audit of PPPL's EMS against the International Organization for Standards (ISO) standard 14001:2004 – "Environmental Management Systems – Requirements with guidance for use.", the surveillance audit was conducted in

Systems – Requirements with guidance for use.” , the surveillance audit was conducted in early 2015. [Cu16] Further discussion of the EMS program audits follow in Section 2.3 of this chapter.

2.3 Environmental Permits

The following Exhibit 2.1 “Applicable Environmental Laws and Regulations –2015 Status” provides information about PPPL’s compliance with applicable Federal and State environmental laws, regulation, DOE and Executive Orders

PPPL initiates actions which enhance and document compliance with these requirements. Compliance with applicable federal, state, and local environmental statutes or regulations, and Executive or DOE Orders is an important piece of PPPL’s primary mission.

2.1 Laws and Regulations

Exhibit 2.1 summarizes the environmental statutes and regulations applicable to PPPL’s activities, as well as summarizing the 2015 compliance status and providing the ASER sections where further details are located. The list of “Applicable Environmental Laws and Regulations – 2015 Status” conforms to PPPL’s Environmental Management System (EMS) Appendix B, “Summary of Legal and Other Requirements” [PPPL15c].

2.2 Site Compliance and Environmental Management System (EMS) Assessments

In 2015, PPPL’s Quality Assurance (QA) Division performed one internal environmental audit of PPPL’s Environmental Management System (EMS). This audit included follow-up of the findings and recommendations made by UL-DQS’s 2014 annual surveillance audit, which is tracked through PPPL’s internal QA Audit Database. In 2015, UL-DQS, Inc. conducted the triennial certification audit of PPPL’s EMS against the International Organization for Standards (ISO) standard 14001:2004 – “Environmental Management Systems – Requirements with guidance for use.” , the surveillance audit was conducted in early 2015. [Cu16] Further discussion of the EMS program audits follow in Section 2.3 of this chapter.

2.3 Environmental Permits

The following Exhibit 2.1 “Applicable Environmental Laws and Regulations –2015 Status” provides information about PPPL’s compliance with applicable Federal and State environmental laws, regulation, DOE and Executive Orders.

Exhibit 2.2 Applicable Environmental Laws And Regulations – 2015 Status

Environmental Restoration and Waste Management	2015 Status	ASER section(s)
<p>Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) provides the regulatory framework for identification, assessment, and if needed remediation of contaminated sites – either recent or inactive releases of hazardous waste. (Also see Superfund Act Reauthorization Amendments under NJ Emergency Planning and Community Right-to-Know)</p>	<p>The CERCLA inventory completed in 1993 [Dy93] warranted no further CERCLA actions. During 2015, PPPL had no involvement with CERCLA-mandated clean-up actions. A New Jersey-regulated ground water investigation and remediation project are discussed in ASER Chapters 4 and 6.</p>	<p>4.3.1 B 6.5</p>
<p>Resource Conservation and Recovery Act (RCRA) regulates the generation, storage, treatment, and disposal of hazardous wastes. RCRA also includes underground storage tanks containing petroleum and hazardous substances, universal waste, and recyclable used oil. (NJ-delegated program)</p>	<p>In 2015, PPPL shipped 6.25 tons (5.67 metric tons, MT) of hazardous waste of which 3.04 tons (2.85 MT) were recycled (32.7% recycling rate). The types of waste are highly variable each year; in 2015, majority of incinerated quantities came from batteries, used oil and fluorescent bulbs [Pue16a].</p>	<p>4.2.1 B 4.2.1 C</p>
<p>Federal Facility Compliance Act (FFCA) requires the Department of Energy (DOE) to prepare “Site Treatment Plans” for the treatment of mixed waste, which is waste containing both hazardous and radioactive components.</p>	<p>In 1995, PPPL prepared a Preliminary Site Treatment Plan (PSTP). PPPL does not nor will not generate mixed waste in the future. An agreement among the regulators was reached to treat in the accumulation container any potential mixed waste [PPPL95].</p>	
<p>National Environmental Policy Act (NEPA) covers how federal actions may impact the environment and an examination of alternatives to those actions</p>	<p>In 2015, PPPL performed NEPA reviews of 20 proposed activities, and the NEPA reviews for 5 previous activities were revised. All of these activities were determined to be categorical exclusions (CXs) in accordance with the NEPA regulations/guidelines of the Council on Environmental Quality (CEQ) [Str16].</p>	
<p>Toxic Substance Control Act (TSCA) governs the manufacture, use, and distribution of regulated chemicals listed.</p>	<p>PPPL shipped in 2015, 4604 pounds of PCB TSCA Hazardous Substances, of which concrete from the C-site MG building renovations weighed 3461 pounds. Five PCB capacitors remain on-site. Asbestos shipments in 2015 were 80 cubic yards [Pue16a].</p>	<p>4.2.1A</p>
<p>Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) regulate the user and application of insecticides, fungicides, and rodenticides. (NJ-delegated program)</p>	<p>PPPL used limited quantities of insecticides, herbicides, and fertilizers. A certified subcontractor performs the application under the direction of PPPL’s Facilities personnel [Kin16b].</p>	<p>Exhibit 4- 11 4.5.3</p>

Exhibit 21. Applicable Environmental Laws and Regulations – 2015 Status (continued)

Other Environmental Statutes	2015 Status	ASER section(s)
<p>Oil Pollution Prevention provides the regulatory requirements for a Spill Prevention Control and Countermeasure (SPCC) Plan for petroleum containing storage tanks and equipment.</p>	<p>The SPCC plan was reviewed and updated in 2011[PPPL11]. PPPL does not meet the threshold quantity of 200,000 gallons of petroleum (excluding transformer oil) for the requirements of a Discharge Prevention Control and Containment (DPCC) plan. PPPL experienced no reportable spills in 2015 [Pue16b].</p>	<p>4.3.1</p>
<p>National Historic Preservation Act (NHPA) and New Jersey Register of Historic Places protect the nation and New Jersey’s historical resources through a comprehensive historic preservation policy.</p>	<p>Due to the location of the pump house next to the Delaware & Raritan Canal, the Canal and the area within 100 yards are listed on both the federal and state register of historic sites [PPPL05].</p>	
<p>Floodplain Management Programs covers the delineation of the 100- and 500-year floodplain and prevention of development within the floodplain zones. (NJ-delegated program)</p>	<p>The 100- and 500-year floodplains are at 80 and 85 feet above mean sea level (msl), respectively. The majority of the PPPL site is located at 100 ft. above msl; only HAZMAT building is in the flood hazard zone, but is protected by dikes [NJDEP84].</p>	
<p>Wetlands Protection Act governs the activities that are allowable through the permitting system and mitigation requirements. (NJ-delegated program)</p>	<p>In 2015, PPPL and Princeton Forrestal Center received the wetlands delineation from NJDEP. Any regulated activities either in the wetlands or transition areas must receive approve prior to commencement [PPPL15k].</p>	<p>4.5.1</p>
<p>Clean Air Act (CAA) and New Jersey Air Pollution Control Act controls the release of air pollutants through permit and air quality limits and conditions.</p>	<p>PPPL-DOE maintain air certificates/permits for the regulated equipment: 4 boilers, 3 emergency/standby generators, 2 dust collectors, 2 above-ground storage tanks (< 10,000 gals. fuel oil) and a fluorescent bulb crusher. PPPL is designated as a synthetic minor and does not exceed any air contaminant thresholds requiring a Title V permit. Submitted Subpart JJJJJ Notification to EPA - biennial boiler adjustment. Annual 2015 boiler adjustment results submitted to NJDEP as required by the permit. Fuel consumption sulfur content for the generators and boilers are recorded; annual boiler emissions calculated. NESHAPs report for tritium emissions are submitted annually [PPPL16b]. PPPL maintains an inventory for ozone-depleting substances (ODS)/ greenhouse gas (GHG) emissions [Nem16].</p>	<p>4.4</p>
<p>National Emission Standards for Hazardous Air Pollutants (NESHAPs) USEPA regulates the NESHAPs program for tritium (an airborne radionuclide) and boilers (<10 million BTUs). Greenhouse gas (GHG) emissions inventory tracking and reporting are regulated by EPA.</p>		

Exhibit 2.2 Applicable Environmental Laws And Regulations – 2015 Status (continued)

Other Environmental Statutes	2015 Status	ASER section(s)
<p>NJ Soil Erosion and Sediment Control (SESC) Plan requires an approval by the Freehold Soil Conservation District for any soil disturbance greater than 5,000 sq. feet.</p>	<p>In CY 2015, PPPL no new additional soil erosion permits were obtained.</p>	<p>4.5.2</p>
<p>NJ Comprehensive Regulated Medical Waste Management governs the proper disposal of medical wastes.</p>	<p>Last report submitted to NJDEP in 2004; no longer required to submit report, but continues to comply with proper disposal of all medical wastes [Pue16a].</p>	
<p>NJ Endangered Species Act prohibits activities that may harm the existence of listed threatened or endangered species.</p>	<p>No endangered species reported on PPPL or D&R Canal pump house sites. Cooper’s hawks and Bald eagles have been sited within 1 mile [Am98, NJB97, NJDEP97, PPPL05].</p>	
<p>NJ Emergency Planning and Community Right-to-Know Act (EPCRA) and Superfund Amendment Reauthorization Act (SARA Title III), requires for certain toxic chemicals emergency planning information, hazardous chemical inventories, and the reporting of environmental releases to federal, state, and local authorities.</p>	<p>PPPL-DOE submitted annual chemical inventory reports to local health and emergency services departments for 2015 [PPPL16a].</p>	<p>4.3.1 C <i>Exhibit 4-7</i> <i>Exhibit 4-8</i></p>
<p>NJ Regulations Governing Laboratory Certification and Environmental Measurements mandate that all required water analyses be performed by certified laboratories.</p>	<p>The PPPL Environmental, Analytical, and Radiological Laboratory (PEARL) continued analyze immediately parameters; PPPL received acceptable for all performance tests for tritium, gross beta, pH, total residual chlorine (Chlorine-produced oxidants- CPO) and temperature. NJDEP Office of Quality Assurance conducted an audit in May 2015 [NJDEP15]. PPPL subcontractor analytical laboratory is a NJDEP certified laboratory.</p>	<p>7</p>

Exhibit 2-1. Applicable Environmental Laws and Regulations – 2015 Status (continued)

Water Quality and Protection	2015 Status	ASER section(s)
<p>NJ Safe Drinking Water Act (SDWA) protects the public water supply by criteria standards and monitoring requirements.</p>	<p>PPPL conducts quarterly inspections of the potable water cross connection system as required by the NJDEP permit. Potable water is supplied by NJ American Water Company [Mor16].</p>	<p>4.1.4 A <i>Exhibit 4-4</i></p>
<p>Stormwater Management and the Energy Independence and Security Act of 2007 (EISA) and Delaware & Raritan Canal Commission Regulations (Stormwater Water Quality)</p>	<p>PPPL’s Stormwater Pollution Prevention Plan (SWPPP) was revised in 2015 to provide guidance to reduce the impact of PPPL’s operations on storm water quality [PPPL15]. PPPL maintains stormwater best management practices structures such as raingardens, grassed swales, vegetated cover and the retention basin.</p>	
<p>Clean Water Act (CWA) and NJ Pollution Discharge Elimination System (NJPDES) regulates surface and groundwater (lined surface impoundment, LSI) quality by permit requirements and monitoring point source discharges.</p>	<p>In 2013, PPPL-DOE received from NJDEP the final NJPDES surface water discharge permit [NJDEP13a, PPPL13e]. For 2015, PPPL reported no non-compliances at DSN001, the basin outfall or at DSN003, the D&R Canal pump house backwash filter outfall [Fin16c].</p>	<p>4.1.1 <i>Exhibits 4-1, 4-2, 4-3 and 4-5</i></p>

Exhibit 2.2 Applicable Environmental Laws And Regulations – 2015 Status (continued)

Regulatory Program Description	2015 Status	ASER section(s)
<p>NJ Technical Standards for Site Remediation governs the soil/ground water assessments, remedial investigations, and clean-up actions for sites suspected of hazardous substance contamination.</p>	<p>In 1990, ground water monitoring of volatile organic compounds (VOCs) began at PPPL. Over time, more than 20 monitoring wells were installed on-site to determine contamination source and extent of the plume. Quarterly sampling of 9 wells and 1 sump is collected, and annual sampling of 12 wells, 2 sumps and 1 surface water site is collected in September with the results reported annually to NJDEP [NJDEP13b, PPPL13c].</p>	<p>6.5</p>
<p>Executive Order (E.O.) 11988 – Floodplain Management and E.O. 11990 – Protection of Wetlands</p>	<p>See Floodplain Management Program (NJ delegated program) and Wetlands Protection Act (NJ delegated program)</p>	
<p>Migratory Bird Treaty Act DOE’s 2013 Memorandum of Understanding and E.O. 13186, Responsibilities of Federal Agencies to Protect Migratory Birds states that actions are taken to protect migratory birds and conduct community outreach.</p>	<p>In 2015, PPPL took no migratory birds nor conducted any programs or actions that call for activities such as banding, marking, or scientific collection, taxidermy and/or depredation control.</p>	
<p>DOE Order 231.1B, Environment, Safety, and Health Reporting, requires the timely collection, analysis, reporting, and distribution of information in ES&H issues.</p>	<p>PPPL ES&H Department monitors/reports on environmental, safety and health data and distributes the information <i>via</i> lab-wide e-mails, PPPL news articles, at weekly Laboratory Management, DOE-Site Office, and staff meetings and at periodic ES&H Executive Board/sub-committees/Lab-wide meetings [DOE11c]. PPPL’s Annual Site Environmental Report (ASER) is required by this order.</p>	<p>.</p>
<p>DOE Order 436.1, Departmental Sustainability, requires all applicable DOE elements to implement an ISO14001-compliant Environmental Management System and support departmental sustainability goals.</p>	<p>PPPL’s Environmental Management System (EMS) originally was prepared in 2005 and is reviewed and updated annually [DOE11a, PPPL15a, & 15e]. PPPL’s EMS is registered to the ISO14001 standard by an independent registrar (UL-DQS) based on annual audits [UL15].</p>	<p>3</p>

Exhibit 2-1. Applicable Environmental Laws and Regulations – 2015 Status (continued)

Radiation Protection	2015 Status	ASER section(s)
<p>DOE Order 435.1, Change 1, <i>Radioactive Waste Management</i>, provides guidance to ensure that DOE radioactive waste is properly managed to protect workers, the public and the environment.</p>	<p>PPPL developed a new Low-Level Radioactive Waste Program Basis document to meet the requirements of DOE Order 435.1 and enable shipments to the Energy Solutions disposal facility in Clive, UT. Approval was granted by DOE in July 2012. [DOE01, PPPL12].</p>	<p>5.1.3</p>
<p>DOE Order 458.1, <i>Radiation Protection</i>, provides protection of the public and the environment from exposure to radiation from any DOE facility. Operations and its contractors comply with standards and requirements in this Order.</p>	<p>PPPL’s policy is to maintain all radiation exposures “As Low as Reasonably Achievable” (ALARA). PPPL implements its radiation protection program as discussed in the Environmental Monitoring Plan Section 6, “Radiological Monitoring Plan.” PPPL’s contribution to radiation exposure is well below the DOE and PPPL limits [10CFR835, DOE01, DOE11b, PPPL15m]</p>	<p>5.1 <i>Exhibit 5-1</i></p>
<p>Atomic Energy Act (AEA) governs plans for the control of radioactive materials</p>	<p>PPPL’s “Nuclear Materials Control and Accountability (MC&A) Plan” describes the control and accountability system of nuclear material at PPPL. This plan provides a system of checks and balances to prevent/detect unauthorized use or removal of nuclear material from PPPL [PPPL13b].</p>	<p>5.2</p>
<p>Executive Order (EO) 13693, <i>Planning for Federal Sustainability in the Next Decade</i> requires all federal agencies maintain Federal leadership in sustainability and greenhouse gas emission reductions, work to build a clean energy economy, promote building energy conservation, efficiency, and management ,promote use of energy from renewable sources, conserve water, improve waste minimization, purchase sustainable products, implement an environmental management system .</p>	<p>PPPL prepared the 2016 Site Sustainable Plan that addressed the goals, targets and status of EO 13693 requirements [EO15 & PPPL15e & f].</p>	<p>3</p>

2.4 External Oversight and Assessments

In 2015, the International Standards Organization revised the Environmental Management System Standard as stated on their web site:

ISO 14001:2015 helps an organization achieve the intended outcomes of its environmental management system, which provide value for the environment, the organization itself and interested parties. Consistent with the organization's environmental policy, the intended outcomes of an environmental management system include:

- enhancement of environmental performance;
- fulfilment of compliance obligations;
- achievement of environmental objectives. [ISO15]


During the week of May 20-21, 2015, the New Jersey Department of Environmental Protection Office of Quality Assurance (NJDEP-OQA) conducted an audit of PPPL's on-site analytical laboratory, Princeton Environmental and Radiological laboratory (PEARL). PEARL is a NJDEP-certified analytical laboratory for analyze-immediately parameters, e.g. pH or temperature.

As a result of the audit, NJDEP-OQA issued eight findings:

1. Temperature compensation for pH meter was a misunderstanding of PPPL's requirement to collect temperature readings,
2. NIST glass thermometers liquid column showed separation; PPPL replaced them with NIST traceable digital thermometers,
3. Chlorine calibration curves are to be prepared quarterly; PPPL completed the curves and submitted them to NJDEP-OQA,
4. Standard Operating Procedure (SOP) for tritium analysis did not include a matrix spike (MS). PPPL contested that a matrix spike was not possible as separation of tritiated and non-tritiated cannot be done using distillation, but would conduct research to that effect (not accepted by NJDEP-OQA),
5. SOP for tritium analysis to include daily control MS checks; PPPL response same as #4 and was not accepted by NJDEP-OQA.
6. Analysis time was not seen for analyze-immediately para-meters; PPPL revised format.
7. Duplicate analyses not performed consistently; PPPL runs duplicate analyses daily,
8. Duplicate analyses not in SOP; PPPL revised SOPs to include duplicate analyses.

As a result of NJDEP-OQA determining that tritium analysis did not conform to the SOPs, PPPL dropped its tritium and gamma spectroscopy certification. PPPL continues to analyze radiological samples and successfully performs in NIST's Voluntary program (See Chapter 7 and Appendix A -Table 24) [PPPL15n]

Exhibit 2.2 EMS Audit Results October 2011 to November 2014



In November 2014, the Laboratory's EMS program underwent a comprehensive audit for re-certification of its program. In January 2015, PPPL's EMS program was successfully recertified [UL15]. The specifics of PPPL's EMS program are detailed in Chapter 3. The EMS audits resumed in January 2016.

2.5 Emergency Reporting of Spills and Releases

Under New Jersey regulations, PPPL is required to call the Action Hotline to report any permit limits that are exceeded. No releases of hazardous substances or petroleum hydrocarbons on pervious surfaces required notification to New Jersey's Action Hotline during 2015.

2.6 Notice of Violations and Penalties

There were no notices of violations or penalties for environmental occurrences at PPPL during 2015 [Fin16c].

2.7 Green and Sustainable Remediation (GSR)

The requirements of E.O. 13693 and DOE's 2015 Strategic Sustainability Performance Plan incorporate green and sustainable remediation practices. [EO15, DOE15] Currently, PPPL's remediation program is monitoring ground and surface water for contaminants and does not include treatment or remediation actions (See Ch. 4 and 6).

2.8 Adapting to Climate Change

As a relatively small facility in a temperate climate, PPPL is prepared for local weather events addressed in the DOE vulnerability assessment survey. On-site and nearby severe weather events/risks are identified, and the emergency planning and communication processes adapted to be better prepared and able to respond. [PPPL15e]

2.9 Environmental Stewardship

2.9.1 Earth Week 2015

During the second annual Earth Week site-wide clean-up, twenty-nine PPPL employees took two-hours from their normal tasks to improve the environment. Four teams patrolled the grounds by removing recyclables and trash that had escaped the dumpsters. In all, 210 pounds of trash, and recyclable or compostable material were collected from the site. Office clean-ups yielded the recycling of 3,100 pounds.

Celebrating its 45th birthday, "Earth Day, Every Day" was the theme of PPPL's 2015 Earth Day/Week (See box). On April 22, PPPL employees and members of the public viewed displays on sustainable renovations and projects; vendor participants were Mercer County Improvement Authority, and PPPL's subcontractors for landscaping, office and janitorial supply, cafeteria, sustainable furniture supply, and electronic waste removal companies. PPPL employees recycled 675 lbs. of electronics from their homes. [Kin16a]

Exhibit 2.3 PPPL's 2015 Earth Week

EARTH DAY 2015



In 2015, PPPL launched the “Bike to Work” challenge which encouraged employees to bike to the laboratory to help reduce the carbon footprint.

Exhibit 2-4. Bike Banner Promoting Cycling



Also on the Earth Week schedule, a briefing was given by Sustainable Princeton, a local organization that promotes environmental actions, and the screening of “The Burden,” a film by Roger Sorkin, was shown. “The Burden” chronicles the U.S. Military’s dependence on oil, and why/how the Military is leading the fight for clean energy.

Exhibit 2-5. PPPL’s Earth Week Poster



The colloquium speaker, Jeanne Herb, Associate Director, Environmental Analysis and Communications Group, Edward J. Bloustein School of Planning and Public Policy, Rutgers University focused on New Jersey’s Efforts to Prepare for Climate Change. Changes in the form of drought, excessive heat, and flooding are dramatic and impactful from effects as wide-ranging as health issues (increased allergic reactions, cardiovascular problems), food production (decreased agricultural productivity), biological issues(stresses on sensitive ecosystems), to depletion of natural resources (increased demands on oi, gas, clean water). Tools such as maps provide information to guide communities how best to prepare for climate changes. The Environmental Analysis and Communication Groups plans to conduct more outreach and public education programs throughout New Jersey.

Each year, employees nominate their co-workers for their exceptional efforts to minimize waste, improve energy efficiency, and promote sustainable practices at PPPL. Twenty-one employees received the 2014 PPPL Green Machine Awards for the following projects:



- Cafeteria staff’s composting/recycling efforts (>12,000 lbs.)
- Janitorial staff being excellent environmental stewards
- Paper shredding event (> 8,000 lbs. or the equivalent of saving 69 trees)
- Replaced meeting binders with USB memory sticks

Exhibit 2-6. Earth Week's Green Machine Recipients



2.9.2 American Recycles Day at PPPL

Each year PPPL celebrated America Recycles Day (ARD, officially November 15th). In 2015, PPPL's Green Team, volunteers who promote recycling within their Departments, gave out 15 "Get Green-Handed" awards to those who correctly composted or carried reusable bags/dishes for their lunch. The ARD colloquium was presented by James Morris, Rutgers University, "Sustainability Economics," on November 24, 2015. Professor Morris posed the question: "Are we better off now than we were as high school seniors?"

Exhibit 2-7. ARD Electronics Collections



ARD activities included employee electronics recycling 1,323 pounds, sign-up pledges to recycle more, Terracycle boxes for recycling miscellaneous items, and the collection of clothing (360 pounds) in support of Princeton University's clothing drive for the Trenton Rescue Mission.



Environmental Management System

The DOE Princeton Plasma Physics Laboratory's Environmental Management System (EMS) program was certified ISO:14001 compliant first in 2011 and was recertified again in late 2014. Each year PPPL undergoes an audit- either internally by a PPPL audit team or by an external auditing subcontractor who is certified to the ISO:14001 standards. PPPL's EMS program is accessible online for employees and the general public to view.

PPPL has made steady and significant progress toward the sustainability goals established by Presidential Executive Orders (EO) 13693 and DOE Order 436.1 by integrating sustainability goals into its site-wide Environmental Management System (EMS). Since 2005, PPPL has focused on improving the sustainability of Laboratory operations and improving environmental performance. "Sustainable PPPL" is a program that capitalizes on PPPL's existing EMS to move the Laboratory toward more sustainable operations. The EMS includes energy management, water conservation, renewable energy, greenhouse gas management, waste minimization, environmentally preferable purchasing, and facility operation programs to reduce environmental impacts and improve performance [PPPL15a]. PPPL will continue to proactively implement sustainability practices aimed at meeting, or exceeding, the sustainability goals in its EMS, DOE Orders, and Executive Orders [EO15].

PPPL's annual surveillance audit of its Environmental Management System against the International Standard Organization ISO-14001:2004 was completed in January 2015. No findings were identified, but the auditor identified two opportunities for improvement and two best practices.


3.1 DOE Sustainability Goals

In 2015, PPPL continued to address the sustainability and greenhouse gas management goals of EO 13514, *Planning for Federal Sustainability in the Next Decade*. PPPL completed its annual *Site Sustainability Plan*, which summarized progress and outlined future plans for meeting the departmental sustainability goals under EO13693, and submitted the *Comprehensive Energy Data Report (CEDR)* and *Site Sustainability Plan* reports detailing our energy and environmental performance [PPPL15f & 15e, respectively].

3.1.1 Energy Efficiency

In 2015, PPPL achieved a reduction of 44.5% in energy intensity (British Thermal Units per gross square foot, BTU/gsf) for non-experimental energy use compared to the 2003 baseline year (see Exhibit 3-1). This value represents a modest decrease from 2014. PPPL's non-experimental buildings still use less than one-half of the energy consumed in 2003. This was achieved through building automation, energy conservation measures, and equipment upgrades.

Exhibit 3-1. Annual Non-Experimental Energy Intensity in BTU/gsf
(Red line represents annual Federal energy efficiency goal)




PPPL continues to emphasize energy management as part of its facility operations and to leverage the success in non-experimental energy management to improve experimental efficiency. For example, PPPL continues to carefully manage its central steam and chilled water plant to maximize efficiency and minimize greenhouse gas emissions. PPPL has standardized on high-efficiency light-emitting diode (LED) lighting for all office renovations and continues to evaluate and implement other energy efficiency projects.

3.1.2 Renewable Energy

PPPL and DOE-PSO have pursued various on-site renewable energy generation projects for as much as 40% of non-experimental energy use over a number of years. The Energy Savings Performance Contract (ESPC) proposal received in FY08 was not successful due to the need for significant up-front investment by DOE. PSO and PPPL then pursued a long-term Power Purchase Agreement (PPA) through the Defense Energy Supply Center (DESC). After more than a year of bidding and negotiations, DESC, PSO, PPPL and the vendor were unable to develop a financially viable project. The ESPC and PPA processes at PPPL identified several significant statutory and management barriers to the cost-effective development of renewable power projects at DOE sites. PPPL will continue to purchase renewable energy credits (RECs) to meet its renewable energy commitments and will pursue cost-effective renewable energy project opportunities within the context of the DOE Office of Science's portfolio approach to the

departmental sustainability goals. PPPL purchased 2,760,000 kWh Renewable Energy Credits to offset 7.5% of total electrical energy used in FY2015.


Exhibit 3-2. Summary of PPPL Scope 1 & 2 GHG Emissions between 2008 and 2015 (mtCO₂e)



3.1.3 Greenhouse Gas Emissions

Between 2008 and 2015, PPPL reduced its Scope 1 and 2 greenhouse gas (GHG) emissions by 54%. This significant reduction in GHG emissions is largely due to the focused efforts to control fugitive losses of sulfur hexafluoride (SF₆) and reduced emissions from on-site combustion of fuel through improved boiler operations, boiler control upgrade projects and the use of natural gas as the primary fuel over fuel oil. Sulfur hexafluoride is a potent GHG that is a highly effective high voltage insulator (see Exhibit 3-2).


Exhibit 3-3. Annual Non-Exempt Fleet Petroleum Fuel Use between 2005 and 2015
(Red line indicates the Federal energy efficiency goal set for 2020)



3.1.4 Fleet Management

In 2015, PPPL's fleet petroleum fuel use was 75% below 2005 levels (see Exhibit 3-3) and 75% of PPPL's total non-exempt fleet fuel use consisted of the alternative fuels E-85 and B20 (see Exhibit 3-4).

Exhibit 3-4. FY2015 Non-Exempt Fleet Fuel Use by Type




PPPL continues to exceed the goal for 75% acquisition of alternative fuel vehicle (AFV) for light duty vehicles by FY2015. PPPL specifies only AFVs as replacement lease vehicles through the GSA whenever a suitable AFV is available. PPPL's fleet includes gasoline-electric hybrid vehicles, alternative fuel vehicles - Ethanol 85% (E-85) or biodiesel 20% (B20) - and petroleum-fueled (gasoline & diesel) vehicles. In addition to the use of alternative fuels in its covered fleet vehicles, PPPL uses B20 in several pieces of heavy-mobile equipment, including a 15-ton forklift, backhoe, and skid steer loader. PPPL's fleet of John Deere Gator® vehicles run exclusively on B20. Following B20 pilot testing in FY2007 and 2008, PPPL expanded its on-site fleet refueling station to support the storage and dispensing of E-85 and B20 fuels.

3.1.5 Water Efficiency

PPPL has made significant progress in reducing its use of both potable and non-potable water in recent years achieving an overall water use reduction of approximately 80% between 2000 and 2015 and its water intensity, measured in gallons per square foot of building space annually (see Exhibit 3-5). PPPL currently uses less than 4 gallons of potable water per square foot of building space annually, a reduction of 46% since 2007. The Laboratory also continues to pursue water conservation pilot projects and to identify new opportunities for water conservation. Given the reductions already achieved additional savings may be incremental over a number of years, as the largest water efficiency opportunities have likely already been addressed.

Exhibit 3-5. PPPL Potable Water Intensity



3.2 Energy Efficient “Green” Buildings

The Lyman Spitzer Building (LSB), PPPL’s main office building was awarded LEED®-Gold certification by the U.S. Green Building Council in April 2011 for meeting the rigorous Leadership in Energy and Environmental Design – Existing Buildings Operations & Maintenance (LEED®-EBOM) standard. The LSB represents approximately 16% of the current building space and certification of this building to the LEED®-EBOM standard is a major step toward the goal of having at least 15% of buildings meeting the Guiding Principles for High Performance and Sustainable Buildings.

PPPL will prioritize infrastructure projects on those buildings identified with the greatest potential for meeting the Guiding Principles to meet the 15% goal, with a long-term objective of 100% HPSB buildings. ENERGYSTAR® Portfolio Manager is used to document progress in meeting these goals. Renovations or other building improvements required to meet the Guiding Principles will be incorporated into PPPL’s OPEX and GPP planning process for inclusion in out-year plans. Five buildings have been identified for evaluation and three are targeted for upgrades to meet the Guiding Principles by FY2015. A tabular summary of PPPL’s performance against the comprehensive sustainability goals of EO 13514 and the applicable DOE Orders is presented in Exhibit 3-6.

3.3 Sustainability Awards

PPPL has demonstrated its commitment to sustainability through its mature environmental stewardship programs. PPPL is often consulted by DOE Laboratories and other organizations for advice and experience in sustainable environmental performance. PPPL was recognized by the Green Purchasing Council with a 3-Star EPEAT Purchaser Award for its strong commitment to the purchasing of EPEAT-certified electronics.

Exhibit 3-6. 2015 DOE Sustainability Goal Summary Table for PPPL

SSPP Goal #	DOE Goal	Performance Status through FY 2015	Planned Actions & Contribution	Risk of Non-attainment
Goal 1: Greenhouse Gas Reduction				
1.1	50% Scope 1 & 2 GHG reduction by FY 2025 from a FY 2008 baseline (2015 target: 19%)	MET FY15 emissions 54% below baseline	Continue to focus on energy efficiency, especially electricity use, and fugitive emissions	NA
1.2	25% Scope 3 GHG reduction by FY 2025 from a FY 2008 baseline (2015 target: 6%)	IN PROGRESS Previous years were below baseline but FY15 emissions increased.	Focus on telework and employee commuting; continue to emphasize energy efficiency and business travel.	Moderate. Ongoing international research emphasis
Goal 2: Sustainable Buildings				
2.1	25% energy intensity (Btu per gross square foot) reduction in goal-subject buildings, achieving 2.5% reductions annually, by FY 2025 from a FY 2015 baseline	EXCEEDED FY15 goal New baseline year.	Continue to focus on energy efficiency and building energy performance	Moderate. Limited funding available for ECMs
2.2	EISA Section 432 energy and water evaluations	MET 100% of covered buildings had Type 1 audit in FY15	25% of buildings will be evaluated in 2016	NA
2.3	Meter all individual buildings for electricity, natural gas, steam and water, where cost-effective and appropriate	MET	Additional sub-metering as cost-effective and programmatically appropriate	Moderate. Current utility configuration doesn't allow building-level metering.
2.4	At least 15% (by building count or gross square feet) of existing buildings greater than 5,000 gross square feet (GSF) are compliant with the Guiding Principles (GPs) of HPSB by FY 2025, with progress to 100% thereafter	MET Using GSF option	Plan to continue HPSB Guiding Principles on additional facilities in conjunction with facility repairs & renovations.	Moderate. LEED-Gold certification of LSB due to renewal. Limited funding available for ECMs
2.5	Efforts to increase regional and local planning coordination and involvement	MET	Continue to coordinate with Princeton Forrestal Center.	NA

Exhibit 3-6. 2015 DOE Sustainability Goal Summary Table for PPPL

SSPP Goal #	DOE Goal	Performance Status through FY 2015	Planned Actions & Contribution	Risk of Non-attainment
2.6	Net Zero Buildings: Percentage of the site's existing buildings above 5,000 gross square feet intended to be energy, waste, or water net-zero buildings by FY 2025.	NONE	Evaluating existing buildings to identify opportunities and strategies to address this goal	High. Critical infrastructure needs may not allow sufficient funds in the near term.
2.7	Data Center Efficiency. Establish a power usage effectiveness target in the range of 1.2-1.4 for new data centers and less than 1.5 for existing data centers	IN PROGRESS Data center PUE for FY15 was 1.58	Reviewing near-term options to improve cooling efficiency. Evaluating potential GPP project to replace existing HVAC with chilled water cooling.	Low.
Goal 3: Clean & Renewable Energy				
3.1	"Clean Energy" requires that the percentage of an agency's total electric and thermal energy accounted for by renewable and alternative energy shall be not less than: 10% in FY 2016-2017, working towards 25% by FY 2025	New Goal ON TARGET	Continue purchasing RECs and evaluate ESPC/PPA opportunities	Moderate.
3.2	"Renewable Electric Energy" requires that renewable electric energy account for not less than 10% of a total agency <u>electric</u> consumption in FY16-17, working towards 30% of total agency <u>electric</u> consumption by FY 2025	MET Purchased RECs to meet goal.	Continue purchasing RECs and evaluate ESPC/PPA opportunities	NA
Goal 4: Water Use Efficiency and Management				
4.1	36% potable water intensity (Gal per gross square foot) reduction by FY 2025 from a FY 2007 baseline (2015 target: 16%)	EXCEEDED FY15 goal MET new goal	Continue to identify water conservation opportunities. Maintain previous savings.	NA
4.2	30% water consumption (Gal) reduction of industrial, landscaping, and agricultural (ILA) water by FY 2025 from a FY 2010 baseline (2015 target: 10%)	IN PROGRESS Exceeded goal for previous 4 years. FY15 water use exceeded goal level	Mission-critical operational use of industrial water caused FY15 increase. Will continue to seek and maximize opportunities to reduce industrial water use.	Moderate. Additional water conservation opportunities are limited.

Exhibit 3-6. 2015 DOE Sustainability Goal Summary Table for PPPL

SSPP Goal #	DOE Goal	Performance Status through FY 2015	Planned Actions & Contribution	Risk of Non-attainment
Goal 5: Fleet Management				
5.1	20% reduction in annual petroleum consumption by FY2015 relative to a FY05 baseline; maintain 20% reduction thereafter. (2015 target: 20%)	EXCEEDED	Continue to manage fleet composition and emphasize alternative fuel use.	NA
5.2	10% increase in annual alternative fuel consumption by FY15 relative to a FY05 baseline; maintain 10% increase thereafter. (2015 target: 10%)	EXCEEDED	Continue to manage fleet composition and emphasize alternative fuel use.	NA
5.3	30% reduction in fleet-wide per-mile greenhouse gas emissions reduction by FY 2025 from a FY14 baseline. (2015 target: N/A; 2017 target: 4%)	New Goal. Note: FY15 fleet GHG intensity is down 49.2% from FY08.	Continue to manage fleet composition and emphasize alternative fuel use.	Low.
5.4	75% of light duty vehicle acquisitions must consist of alternative fuel vehicles (AFV). (2015 target: 75%)	MET	Continue to emphasize AFV and alternative fuel use.	NA
5.5	50% of passenger vehicle acquisitions consist of zero emission or plug-in hybrid electric vehicles by FY 2025. (2015 target: N/A)	New Goal	Work with GSA to identify opportunities in vehicle lease program. Limited number of passenger vehicles.	NA
Goal 6: Sustainable Acquisition				
6.1	Promote sustainable acquisition and procurement to the maximum extent practicable, ensuring Bio Preferred and bio-based provisions and clauses are included in 95% of applicable contracts.	MET	Continue to integrate sustainable acquisition information into applicable contracting documents.	NA
Goal 7: Pollution Prevention & Waste Reduction				
7.1	Divert at least 50% of non-hazardous solid waste, excluding construction and demolition debris.	EXCEEDED FY15 MSW recycling rate was 74.1%	Continue existing programs and expand as appropriate.	NA
7.2	Divert at least 50% of construction and demolition materials and debris.	EXCEEDED FY15 C&D recycling rate was 85.8%	Continue existing programs and expand as appropriate.	NA

Exhibit 3-6. 2015 DOE Sustainability Goal Summary Table for PPPL

SSPP Goal #	DOE Goal	Performance Status through FY 2015	Planned Actions & Contribution	Risk of Non-attainment
Goal 8: Energy Performance Contracts				
8.1	Annual targets for performance contracting to be implemented in FY 2017 and annually thereafter as part of the planning of section	ON TARGET	Currently investigation new ESPC/PPA opportunities.	NA
Goal 9: Electronic Stewardship				
9.1	Purchases – 95% of eligible acquisitions each year are EPEAT-registered products	EXCEEDED	EPEAT products specified as default	NA
9.2	Power management – 100% of eligible PCs, laptops, and monitors have power management enabled	IN PROGRESS for desktops & laptops MET for monitors	Plans to procure power management software for Macs.	Moderate.
9.3	Automatic duplexing – 100% of eligible computers and imaging equipment have automatic duplexing enabled	IN PROGRESS	Specify purchase of duplex-capable networked printers as older units are retired.	Moderate. Dependent on operational funds for replacement & upgrades.
9.4	End of Life – 100% of used electronics are reused or recycled using environmentally sound disposition options each year	MET	Continue to re-use electronic assets internally & recycle through UNICOR	NA
Goal 10: Climate Change Resilience				
10.1	Update policies to incentivize planning for, and addressing the impacts of climate change.	DOE GHG and climate adaptation goals are integrated into lab-wide ISO-14001 certified environmental management system (EMS).		
10.2	Update emergency response procedures/protocols for climate change, including extreme weather events.	Existing Emergency Plan includes various weather-related emergencies. Plan is tested and exercised during major weather events.		
10.3	Ensure workforce protocols and policies reflect projected human health and safety impacts of climate change.	Existing ES&H directives address weather-related risks. Continue to revise and update ES&H directives as necessary.		
10.4	Ensure site/lab management demonstrates commitment to adaptation efforts through internal communications/policies.	DOE GHG and climate adaptation goals are integrated into lab-wide ISO-14001 certified environmental management system (EMS).		
10.5	Ensure that site/lab climate adaptation and resilience policies and programs reflect best available current climate change science, updated as necessary.	Continue to participate in state and regional climate change initiatives. Monitor developments in climate science and update policies and programs as necessary. ✱		

Environmental Non-Radiological Program Information

The DOE Princeton Plasma Physics Laboratory's Environmental Non-Radiological program includes information about PPPL's compliance with New Jersey state environmental rules, regulations and the associated permit requirements. Surface, ground, potable, non-potable water, sanitary and stormwater, air emissions, hazardous materials and waste, and land use, pollution prevention are included in this chapter .

The following sections briefly describe PPPL's environmental programs required by federal, state, or local agencies as well as with Executive and DOE orders. These programs were developed to comply with the environmental regulations governing PPPL's operations.

4.1 Non-Radiological Water Programs

4.1.1 New Jersey Pollutant Discharge Elimination System (NJPDES) Program

A. Monthly Discharge Monitoring Reports (DMR)

In compliance with permit requirements of the New Jersey Pollutant Discharge Elimination System (NJPDES) permit, NJ0023922, PPPL and DOE-PSO submitted to NJDEP monthly discharge monitoring reports (DMRs) for Discharge Serial Number (DSN)—DSN001, retention basin outfall, and DSN003, Delaware & Raritan (D&R) Canal pump house filter backwash discharge. See Appendix Tables 16 & 17 for data.

In 2013, PPPL received the final NJPDES permit with the effective date of October 1, 2013. In February of 2008 NJDEP issued a *Final Surface Water Minor Modification Permit Action* report. Key changes to the permit included eliminating loading requirements and quarterly monitoring for DSN001, additional annual and semi-annual Waste Characterization Reports from DSN001 and DSN003 as well as addition annual [NJDEP13a].

Changes to PPPL's reporting requirements are noted in Exhibit 4-2. Under the current NJPDES permit effective October 2013, PPPL is required to provide an annual WCR for both DSN001 and DSN003. DSN001 also requires addition semiannual WCR reporting for particular metals

and semi volatile organic compounds (SVOC). DSN003 is still required to complete a full WCR once per permit cycle [PPPL15h].

For CY2015, PPPL NJPDES compliance summary is presented in Exhibit 4-1 below. All permit exceedance were reported to NJDEP within the allowable time frame.

Exhibit 4-1. 2015 NJPDES Permitted Compliance NJPDES permit NJ0023922

Outfall DSN001							
Parameter ⁽¹⁾	Frequency	Permit Limit	# Permit Exceedance	# Samples Taken ⁽⁴⁾	# Compliant Samples	Percent Compliance	Dates Exceeded
Chemical Oxygen Demand (COD), mg/L	Monthly	50.0	0	16	16	100%	-
Chlorine Produced Oxidants (CPO),mg/L	Monthly	0.1	2	32	30	93.8%	8/3/15
Flow, MGD	Monthly	-	0	12	12	100%	-
Petroleum Hydrocarbons (TPHC), mg/L	Monthly	10.0 Avg 15.0 Max	0	16	16	100%	--
pH, S. U.	Monthly	>6.0; <9.0	0	16	16	100%	-
Phosphorus, total mg/L ⁽²⁾	Monthly	-	0	16	16	100%	-
Temperature ° C	Monthly	30.0	0	16	16	100%	-
Tetrachloroethylene (PCE), µg/L ⁽³⁾	Monthly	0.703	0	16	16	100%	-
Total Suspended Solids (TSS), mg/L	Monthly	50.0	0	16	16	100%	-
Outfall DSN003							
Chlorine Produced Oxidants (CPO),mg/L	Monthly	>0.1	0	12	12	100%	-
Flow, GPD	Monthly	-	0	12	12	100%	-
Petroleum Hydrocarbons (TPHC), mg/L	Monthly	10.0 Avg 15.0 Max	0	12	12	100%	-
pH, S. U.	Monthly	>6.0; <9.0	0	12	12	100%	-
Phosphorus, total mg/L ⁽²⁾	Monthly	-	0	12	12	100%	-
Total Suspended Solids (TSS), mg/L	Quarterly	50.0	0	12	12	100%	-
Intake C1							
Total Suspended Solids (TSS), mg/L	Quarterly	-	0	12	12	100%	-

NA = Not applicable

Note: All samples reported in quality or concentration on monthly DMR

- (1) *Methods for Chemical Analysis of Water and Wastes*, Environmental Monitoring and Support Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, March 1983, EPA-600 4-79-020 [EPA83].
- (2) *Phosphorus Evaluation Study will be included in the Raritan Watershed Study.*
- (3) *Tetrachloroethylene (PCE) found in the retention basin outfall results from ground water from the building foundation drainage system. Additional basin aeration is expected to keep the discharge concentration of PCE at or below 0.703 µg/L.*
- (4) *Number of samples taken indicates the minimum number of samples required for the current NJPDES permit. Additional samples and duplicates may be taken and reported each CY year.*

Exhibit 4-2. NJPDES Reporting Requirements 2015

Parameter	Location	Frequency/Type	Last Completed
Discharge Monitoring Report (DMR)	DSN001, DSN003, C1	Monthly	Monthly 2015
Acute Whole Effluent Toxicity	DSN003	4 – 4.5 Years per Permit	Due Nov 2017
Chronic Toxicity (% Effluent) IC25 7 Day <i>Ceriodaphnia dubia</i> & <i>Pimephales promelas</i>	DSN001	Annual	November 16, 2015
Waste Characterization Report (WCR) – Complete WCR	DSN001	Annual	June 7, 2015 & November 9, 2015
Waste Characterization Report (WCR) – Metals, SVOC, Chloroform	DSN001	Semi Annual	May 15, 2015 & December 15, 2015
Waste Characterization Report (WCR) - Metals	DSN003	Annual	May 14, 2015
Waste Characterization Report (WCR) – Complete WCR	DSN003	4 – 4.5 Years per Permit	Due Nov 2017

B. Acute Toxicity Study

The Acute Biomonitoring Report for the water flea (*Ceriodaphnia dubia*) was completed on March 20, 2010 for DSN003. Samples were collected for the 48-hour acute toxicity survival test, required to be performed between 4 to 4.5 years after the effective date of the permit (Exhibit 4-2). The next permitted sampling is scheduled for November 2017. The toxicity test with *Ceriodaphnia dubia* (water flea) resulted in an inhibition concentration (IC25) of >100 percent [PPPL10a].

C. Chronic Whole Effluent Toxicity Study

Annual Chronic Whole Effluent toxicity testing for DSN001 was completed on November 16, 2015 (Exhibit 4-2). In all chronic toxicity tests, *Pimephales promelas* (fathead minnow) survival rate inhibition concentration (IC25), as defined by the NJ Surface Water Quality Standards, was IC25 >100 percent (statistically possible) no observable effect concentration (NOEC) [NJDEP13a, PPPL15g].


D. Waste Characterization Report (WCR)

Waste Characterization Reports (WCR) is required by NJPDES Permit for monitoring effluent conditions. Semi Annual WCR were completed twice annually in May 15, 2015 and December 14, 2015 at DSN001. PPPL completed DSN001 Annual WCR twice due to permit cycles not correlating with calendar years and were completed on June 7, 2015 and November 9, 2015 [PPPL15h]. DSN003 was completed annually on May 14, 2015 [PPPL15j]. WCR data can be seen in Appendix Table 25.

4.1.2 Lined Surface Impoundment Permit (LSI)

PPPL complies with NJDEP Ground Water General Permit No. NJ0142051 and is permitted to operate Lined Surface Impoundment (LSI) Program Interest (P.I.) ID#:47029 dated February 26, 2009. LSI Permit operates on a 5-year permit cycle, expiring on February 28, 2014. PPPL will operate under the previous permit until NJDEP issued a new permit. The LSI Permit authorizes PPPL to discharge from our lined retention basin outlet to surface water, Bee Brook in Plainsboro, NJ [NJDEP09]. An estimated total of 76.8 million gallons annually or 209,987 gallons per day of water was discharged from the retention basin in 2015 [Fin16a].

Exhibit 4-3. PPPL Retention Basin, Flow Sensor, Discharge Gate



LSI permit requires inspection and maintenance of liner every three years. In May 2015, PPPL completed its annual basin cleaning and inspected and certified the liner by Professional Engineer (PE) from Midstate Engineering Inc. and repairs and maintenance completed by Picone Contracting. Liner inspection was reported to the NJDEP in June 2015; next inspection is due in spring 2018. In the interim, the basin condition will be monitored until its next inspection.

Water flowing through the retention basin includes site storm water, groundwater from building foundation drains, non-contact cooling water, and cooling tower and boiler blow down. PPPL operates and maintains all equipment associated with the retention basin including aerators, sonic algae control, oil sensors, oil boom, sump pump and flow meter (Exhibit 4-3). If oil is detected within the basin, an alarm signals Site Protection Office and automatically closes the discharge valve. The ultrasonic flow meter measures flow from the basin is downloaded monthly for NJPDES Discharge Monitoring Report (DMR). The following maintenance activities were conducted in 2015:

- Sump pump maintained and oil sensors replaced and calibrated.
- Calibrated the retention basin flow meter via certified outside vendor.
- BAS delivers flow meter data electronically.

4.1.3 Ground Water

A. NJPDES Ground Water Program

No ground water monitoring is required by the LSI NJPDES Groundwater permit.

B. Regional Ground Water Monitoring Program

PPPL's Remedial Investigation and Remedial Action Selection Report (RI & RASR) was approved by NJDEP in 2000 [PPPL99b]. The Remedial Action Work Plan (RAWP) was approved NJDEP in June 2000 [PPPL00]. The process of natural attenuation by the indigenous bacteria and other *in-situ* processes are slowly degrading tetrachloroethylene or perchloroethylene (PCE) to its natural degradation products. The de-watering sumps located in the D-site MG and air shaft (formerly TFTR) basements draw ground water radially from the shallow aquifer, controlling ground water flow and preventing off-site contaminant migration. For details, see Chapter 6 "Site Hydrology, Ground Water, and Drinking Water Protection."

In August 2013, NJDEP issued Groundwater Remedial Action Permit number RAP13001, effective for 30 years, for the ongoing remediation and monitoring programs at PPPL. PPPL has modified its monitoring program to meet conditions of the new permit [PPPL13c]. Additional groundwater information can be found in Chapter 6.

4.1.4 Metered Water

A. Drinking (Potable) Water

Potable water is supplied by the public utility, New Jersey American Water Company. PPPL used approximately 2.64 million gallons in 2015 (Exhibits 4-4 & 4-5) [Mor16]. PPPL uses potable water as a backup resource for fire protection.

Exhibit 4-4. PPPL Potable Water Use from NJ American Water Co. [Mor16]

CY	In Million Gallons
2004	22.33
2005	20.01
2006	12.85
2007	3.78
2008	7.41
2009	15.57
2010	7.65
2011	8.54
2012	6.75
2013	4.52
2014	2.74
2015	2.64

Exhibit 4-5. PPPL Non-Potable Water Use From Delaware & Raritan Canal [Fin16a]

CY	In Million Gallons
2004	13.02
2005	14.77
2006	7.90
2007	8.71
2008	7.15
2009	0.00
2010	7.35
2011	2.47
2012	4.19
2013	5.73
2014	5.14
2015	8.59

B. Process (Non-potable) Water

Delaware & Raritan (D&R) Canal non-potable water is used for fire protection and process cooling *via* Physical Cross-Connection Permit 0826-WPC110001. Non-potable water is pumped from the D&R Canal as authorized through a contract with the New Jersey Water Supply Authority that allows for the withdrawal of up to 150,000 gpd and an annual limit of 54.75 million gallons [NJWSA12]. PPPL used 8.59 million gallons of non-potable water from the D&R Canal in 2015 [Fin16a].

Filtration to remove solids and the addition of chlorine and a corrosion inhibitor are the primary water treatment at the canal pump house. Discharge serial number DSN003, located at the canal pump house filter-backwash, is a separate discharge point in the NJPDES surface-water permit and is monitored monthly (Appendix Table 17). A sampling point (C1) was established to provide baseline data for surface water that is pumped from the D&R Canal for non-potable uses. Appendix Table 11 summarizes the results of water quality analysis at the water intake C1, at the D&R Canal.

C. Surface Water

Surface water is monitored for potential non-radioactive pollutants both on-site and at surface-water discharge pathways upstream and downstream off-site. Other sampling locations—Bee Brook (B1 & B2), New Jersey American Water Company (potable water supplier-E1), Delaware & Raritan Canal (C1), Millstone River (M1), and Cranbury and Devil’s Brooks in Plainsboro (P1 & P2) sampling points (Appendix Tables 9-17)—are not required by regulation, but are a part of PPPL’s environmental surveillance program.

D. Sanitary Sewage

Sanitary sewage is discharged to the Publicly-Owned Treatment Works (POTW) operated by South Brunswick Township, which is part of the Stony Brook Regional Sewerage Authority (SBRSA). SBRSA requires quarterly reporting of total volume discharged from the Liquid Effluent Collection (LEC) tanks on D-Site. PPPL continued to collect radioactive Tritium samples and non-radioactive data (pH and temperature) during 2015 (Appendix Table 7). Detailed radiological and discharge quantities for LEC tanks can be found in Chapter 5 “Environmental Radiological Program Information”.

For 2015, PPPL estimated a total annual sanitary sewage discharge of 2.37 million gallons to the South Brunswick sewerage treatment plant [Mor16].

4.2 Non-Radiological Waste Programs

4.2.1 Hazardous Waste Programs

A. Toxic Substance Control Act (TSCA)

In CY2015, PPPL shipped 4604 pounds of PCB waste. All contents were landfilled, recycled or incinerated in a permitted facility as TSCA Hazardous Waste [Pue16a].

B. Hazardous Waste

PPPL submitted a Biennial Hazardous Waste Generator Report to NJDEP for waste generated in CY2014. As the biennial report is due on even years, it is not due until 2016. A description of Resource Conservation and Recovery Act (RCRA) compliance is found in Exhibit 2-1 of this report [Pue16a].

PPPL continues to evaluate opportunities to remove hazardous materials from the workplace that have the potential to become hazardous wastes by substituting them with non-hazardous materials that has the added benefit of reducing employee exposure.

C. Recycled Hazardous/Universal Waste

The types and quantities of waste that are recycled each year changes due to the activities varying greatly from year to year as shown in Exhibit 4-6. PPPL's waste shipments can include hazardous, universal, non-hazardous and TSCA regulated waste. PPPL's avoids landfilling environmental waste through recycling and incinerating, shows PPPL's commitment to sustainability. PPPL's only hazardous waste that is currently landfilled is asbestos. In 2015 PPPL had two 40 cubic yard dumpsters [Pue16a].

Exhibit 4-6. 2015 Waste Shipments [Pue16a]

Recycled Hazardous Waste	Pounds	Other
Recycled	6,080	-
Incinerated	12,505	-
Landfilled	0	80 CY Dumpsters
Total Waste	18,858	80 CY Dumpsters

4.3 Environmental Protection Programs

4.3.1 Release Programs

A. Spill Prevention Control and Countermeasure (SPCC)

PPPL maintains a Spill Prevention Control and Countermeasure Plan (SPCC), which was updated in 2011. The next SPCC review is scheduled for August 2016. An annual review, but no revisions were made to SPCC in 2015. The SPCC Plan is incorporated as a supplement to the PPPL Emergency Preparedness Plan. In addition to the 5-year major revision as required by the USEPA, PPPL's Environmental Services Division (ESD) completes a review every year to make any minor changes required to the SPCC [PPPL11 & Pue16b].

B. Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Continuous Release Reporting

Under Comprehensive Environmental Recovery, Compensation, and Liability Act, (CERCLA) reporting requirements for the release of listed hazardous substances in quantities equal to or greater than its reportable quantity, the National Response Center is notified and the facility is required to report annually to EPA. Because PPPL has not released any CERCLA-regulated

hazardous substances, no “Continuous Release Reports” have been filed with EPA in CY 2015 [Sla16].

C. Superfund Amendments and Reauthorization Act (SARA) Title III Reporting Requirements

NJDEP administers the Superfund Amendments and Reauthorization Act (SARA) Title III, also known as the Emergency Reporting and Community Right-to-Know Act (EPCRA), reporting for EPA Region II. The modified Tier I form includes SARA Title III and NJDEP-specific reporting requirements. PPPL submitted the SARA Title III Report to NJDEP on 2/17/2016 prior to the March 1st deadline [PPPL16a]. The change in 2015 EPCRA/SARA report included a reduction of Halon 1211 (Bromo-chlorodifluoro methane) from over 500 lbs. in 2014 to 287 lbs.

SARA Title III reports included information about eleven compounds used at PPPL as listed in Exhibits 4-7 and 4-8.

Though PPPL does not exceed threshold amounts for chemicals listed on the Toxic Release Inventory (TRI), PPPL completed the TRI cover page and laboratory exemptions report for 1996, and submitted these documents to DOE. Since PPPL did not exceed the threshold amounts, no TRI submittal was completed for 2015 [Sla16].

Exhibit 4-7. 2015 Summary of PPPL EPCRA Reporting Requirements

SARA	YES	NO	NOT REQUIRED
EPCRA 302-303: Planning Notification	X		
EPCRA 304: EHS Release Notification		X	
EPCRA 311-312: MSDS/Chemical Inventory	X		
EPCRA 313: TRI Report			X – Did not exceed threshold

EHS – Extremely hazardous substances (No EHS are on-site at PPPL)

MSDS – Material Safety Data Sheets

TRI – Toxic Release Inventory

Exhibit 4-8. 2015 Hazard Class of Chemicals at PPPL

Compound	Category	Compound	Category
Bromochlorodifluoro-methane (Halon 1211)	Sudden release of pressure & Acute health effects	Lead	Chronic health effects
Carbon dioxide	Sudden release of pressure & Reactive	Nitrogen	Sudden release of pressure
Diesel Fuel Oil	Fire	Propane	Sudden release of pressure
Gasoline	Fire & Chronic Health Hazard	Petroleum Oil	Fire
Helium	Sudden release of pressure	Sulfur Hexafluoride	Sudden release of pressure
Sulfuric acid	Acute Health Hazard & Reactive		

4.3.2 Environmental Releases

PPPL reported no oil or chemical spills in CY2015. Due to New Jersey's no *de minimus* thresholds, all oil released to unpaved surfaces must be reported. If spills occur, PPPL removes the dirt and tests the soil to ensure adequate cleanup of petroleum hydrocarbons and any other chemicals [Fin16c].

4.3.3 Pollution Prevention Program

In 2015, PPPL continued to pursue waste minimization and pollution prevention opportunities through active recycling efforts and through the purchasing of recycled-content and other environmentally-preferable products (EPP). In FY 2015, PPPL diverted 73.8% of the municipal solid waste through single stream recycling and organic waste composting programs. The DOE EO 13514 goal of 50% recycle versus disposal rate was met and accomplished by active participation of Laboratory employees. PPPL's FY 2015 rate for recycling of construction materials including wood, concrete, and metal was 85.8% by weight [Kin16a].

In September 2010, PPPL initiated the collection and recycling of food waste from the cafeteria kitchen and the trash bins located in the cafeteria and select locations around the laboratory. In FY2015, PPPL composted 21.9 tons of food waste. Changes from non-compostable products (cups, plates and corn starch food containers) to compostable ones, new color-coded signs and bins increased composting across the laboratory [Kin16a].

4.4 Non-Radiological Emissions Monitoring Programs

Air Permits

PPPL maintains New Jersey Department of Environmental Protection (NJDEP) air permits/certificates for the equipment as listed in Exhibit 4-9. PPPL is classified as a synthetic-minor facility and does not exceed the Potential to Emit (PTE) limits for any of the Criteria Air Pollutants.


PPPL tracks NJDEP Air Quality Conditions Alerts. Unhealthy conditions are noted and all generator repairs and maintenance are postponed until normal air quality is reinstated. During those times, the standby (emergency) generators may be used only in an emergency (power outage) or when a voltage reduction issued by Pennsylvania, Jersey, Maryland Interconnect (PJM – electric-power grid controllers) and posted on the PJM internet website under the “emergency procedures” menu.

In 2008, NJDEP reduced the regulatory limits for the Criteria air pollutants for operating the boilers; PPPL's operated these four boilers were well below those limits in 2015 (Exhibit 4-10 & Appendix Table 8). With the installation of digital controls and high-efficiency, lower nitrogen oxide (NO_x) burners, the NO_x, volatile organic compounds (VOCs), particulates, sulfur dioxide (SO₂), and carbon monoxide (CO) emissions are being further reduced [Nem16].

Exhibit 4-9. PPPL's Air-Permitted Equipment

Type of Air Permit	Qty	Location	Requirements
Dust collectors	2	Facilities Woodworking shop C-Site MG Annex	Operate at 99% efficiency General Permit July 2011 (Facilities out of commission since 12/2014)
Storage tanks vents	2	25,000 gal. No. 2 & 4 oil 15,000 gal. No.1 oil	TANKS – EPA annual emissions based on amount of fuel through-put
Diesel generators	1 2	D-site generator C-site generator	Annual Limit of 200 hours for D-site & 100 hours for C-site of operation excluding emergencies; no testing on NJDEP Air Action Days
Utility boilers	4	Units 2,3,4, & 5 in Facilities	Annual emission testing same quarter each year; annual emission calculations based on hours of operations (Ex.4-12); rolling 12-month calendar total fuel consumed by boiler and fuel type (Table 8). Visual stack checked weekly when operating.
Fluorescent bulb crusher	1	Hazardous Materials Storage Facility	Hours of operations and number of bulbs crushed; air monitoring for mercury during filter changes.

Exhibit 4-10. PPPL's Boiler Emissions from 2002- 2015 vs. Regulatory Limits (Fin16b)
Criteria Pollutants in Tons per Year



4.5 Land Resources and Conservation

4.5.1 Wetlands Letter of Interpretation (LOI)

PPPL operates under NJDEP Land Use Wetlands LOI. Under permit No. 1218-06-0002.2FWW070001, NJDEP had line verified LOI PPPL's freshwater boundaries in 2008. PPPL's permit was renewed in 2015 and extended until April 1st, 2018. No construction or alterations to existing vegetation within 50 feet of wetlands can commence without state notification. PPPL's National Environmental Policy Act (NEPA) Review System process verifies projects do not alter vegetation within 50 feet of wetlands. Freshwater line verifications must be present on all future site development drawings [PPPL15k].

4.5.2. Soil Erosion and Landscaping

In 2015, PPPL has an open Soil Erosion Permit obtained through the Freehold Soil Conservation District. Permit No. 2014-0657 for PPPL's C-Site and D-Site Chilled Water Line was issued on 11/26/2014 and expires on 5/26/2018. Draft internal soil erosion and sediment control guidelines were for inclusion in PPPL's Engineering Standards [PPPL14a].

PPPL continued to reduce the grassed acreage that required mowing and other maintenance by planting native meadow grasses that are allowed to grow tall through PPPL's Storm water Pollution Prevention Plan [PPPL12a].

4.5.3 Herbicides and Fertilizers

During 2015, PPPL's Facilities Division used herbicides, insecticide and fertilizer on campus grounds (Exhibit 4-11). These materials are applied in accordance with state and federal FIFRA regulations. Chemicals are applied by certified applicators. No herbicides or fertilizers are stored on site; therefore, no disposal of these types of regulated chemicals is required by PPPL [Kin16b].

Exhibit 4-11. 2015 Fertilizer and Herbicide

Type of Material	Name of Material	Registered EPA No.	2015 Applied
Herbicide	Trimaec Bentgrass Broadleaf	2217-529	261.36 Oz.
Herbicide	Quali-pro Prodiamine 4L	66222-230	104.55 Oz.
Herbicide	Roundup ProMax	524-579	698.02 Oz.
Insecticide	The End Wasp, Bee Killer	11694-109	As needed
Fertilizer	None	-	-

4.5.4 Stormwater Pollution Prevention

PPPL's Stormwater Pollution Prevention Plan (SWPPP) was revised in 2015 to provide guidance to reduce the impact of PPPL's operations on stormwater quality [PPPL15]. As summarized in Exhibit 8 of SWPPP, PPPL reduces stormwater quantity by utilizing best management practices, such as limiting the mowing areas with rain gardens and native grass meadows plantings.

4.6 Safety

PPPL's 2015 performance with respect to worker safety is noted in Exhibit 4-12 [Lev16a].

Exhibit 4-12. 2015 PPPL's Safety Performance

Total OSHA recordable case rate ¹	Days away, restricted transferred (DART) case rate ¹
2.04	0.41
Number of radioactive contaminations (external)	Number of Safety report OSHA (ORPS) Occurrence confined space, chemical exposure and (LOTO) incidents
0	1

OSHA – Occupational Safety and Health Administration
¹Per 200,000 hours worked



Environmental Radiological Program Information

5.1 Radiological Emissions and Doses

The DOE Princeton Plasma Physics Laboratory's Environmental Radiological program includes information about PPPL's tritium releases to the environment and as measured by dose to employees and to the public. This annual dose is calculated using air and water measurements and is 0.0073 mrem per year compared to 310 mrem from natural sources.

For 2015, the releases of tritium in air and water and the dose to the maximum exposed individual (MEI) are summarized in Exhibit 5-1. The calculated MEI is less than 0.0024 milliradiation equivalent man (mrem), far below the annual limit of 10 mrem per year [Lev16b, Rul16].

Laboratory policy states that when occupational exposures have the potential to exceed 1,000 mrem (1 rem) per year (10 mSv/y), the PPPL Environment, Safety, and Health (ES&H) Executive Board must approve an exemption. This value (1,000 mrem per year limit) is 20 percent of the DOE legal limit for occupational exposure. In addition, the Laboratory applies the "ALARA" (As Low As Reasonably Achievable) policy to all its operations. This philosophy for control of occupational exposure means that environmental radiation levels for device operation are also very low. From all operational sources of radiation, the ALARA goal for maximum individual occupational exposure was less than 100 mrem per year (1.0 mSv/year) above natural background at PPPL. The average annual dose to a member of the general population is considered to be about 620 mrem/year with 310 mrem contribution from natural sources and 310 mrem from man-made sources.

- Cosmic radiation - 28 mrem/yr
- Terrestrial sources /earth's crust - 28 mrem/yr
- Food - 40 mrem/yr
- Radon - ~200 mrem/yr
- Medical sources: 310 mrem from medical diagnostics such as x-rays, CAT scans, cancer treatments.

Exhibit 5-1. Summary of 2015 Emissions and Doses from D-Site Operations

Radionuclide & Pathway	Source	Source Term Curies (Bq)	MEI mrem/yr (mSv/yr)	Percent of Total	Collective EDE w/in 80 km in person-rem (person-Sv)
Tritium (air)	D-site stack	HTO – 2.73 (1.01 x 10 ¹¹)	2.0 x 10 ⁻³	82.5	0.077
		HT - 0.765 (2.83 x 10 ¹⁰)	(2.0 x 10 ⁻⁵)		
Tritium (water)	LEC tank	HTO - 0.00467 (1.6 X10 ⁸)	8.6 x 10 ⁻⁵ (8.6 x 10 ⁻⁷)	3.5	1.17 x 10 ⁻⁴ (1.17 x 10 ⁻⁶)
Tritium (water)	Surface Ground	180.2 pCi/L (Bee brook)	3.4 x 10 ⁻⁴	14.0	3.38 x 10 ⁻⁴
		900.9 pCi/L (air shaft)	(3.4 x 10 ⁻⁶)		
Direct/Scattered neutron & Gamma Radiation	NSTX	1.11 X 10 ¹¹ D-D neutrons	2.79 X 10 ⁻¹¹ (2.79 X 10 ⁻¹³)	0	N/A
Argon-41 (Air)	NSTX	9.8 X10 ⁻¹⁰ (36)	8.64 X 10 ⁻¹² (8.64 X 10 ⁻¹⁴)	0	N/A
Total [Lev16b & Rul16]			2.42 x 10⁻³ (2.42 x 10⁻⁵)	100	0.077 (7.7 x 10 ⁻⁴)

Bq = Bequerel EDE = effective dose equivalent HT = elemental tritium DD =deuterium-deuterium
mSv = milli Sievert mrem = milli radiation equivalent man HTO = tritium oxide NSTX = National Spherical Torus Experiment
Half-life of tritium (HTO & HT) is 12.3 years.

- Note: 1. Dose to the MEI occurs at the nearest business which is 351 meters from the D-site stack. Doses assume maximum exposed individual is in continuous occupation at the nearest business; waterborne doses assume that maximum exposed individual uses the ultimate destination of liquid discharges (Millstone River) as sole source of drinking water.
 2. Annual limit is 10 mrem/year; background is about 620 mrem/year. (Reference NCRP Report 160, 2009)

5.1.1 Penetrating Radiation

With the upgrade project completed in 2015, the NSTX-U reactor conducted experiments during the last quarter of 2015 and generated neutrons though at a very low amount that did not contribute significantly to the dose totals. The upgrade project includes installation of a new center stack, new magnetic coils, additional diagnostic instruments, and a second neutral beam for heating. This will result in increased neutron production when NSTX-U resumes scheduled operations.

5.1.2 Sanitary Sewage

Drainage from D-site sumps in radiological areas is collected in the one of the three liquid effluent collection (LEC) tanks; each tank has a capacity of 15,000 gallons. Prior to release of these tanks to the sanitary sewer system and the publicly owned treatment works, *i.e.*, Stony Brook Regional Sewerage Authority (SBRSA), a sample is collected and analyzed for tritium concentration and gross beta. All samples for 2015 showed effluent quantity and concentrations of radionuclides (tritium) to be within allowable limits established in New Jersey regulations (1 Ci/y for all radionuclides), the National Safe Drinking Water regulations (40 CFR 141.66 limit of 20,000 pCi/L) and DOE Order 5400.5 (2 x 10⁶ pCi/liter for tritium) [40CFR141].

As shown in Exhibits 5-2 and 5-3, the 2015 total amount of tritium released to the sanitary sewer was 0.00467 Curies, less than the allowable 1.0-Curie per year limit. In Appendix Table 7, the tritium activity is reported; the gross beta activity ranges from 3,180 to 24,300 pCi/L.

Exhibit 5-2. Annual Releases to Sanitary System from Liquid Effluent Collection Tanks 2000-2015




Exhibit 5-3. Total Annual Releases (LEC tanks) to Sanitary System from 2000 to 2015

Calendar Year	Total Gallons Released	Total Activity (Curies)
2000	165,900	0.081
2001	150,150	0.103
2002	190,200	0.453
2003	217,320	0.032
2004	223,650	0.041
2005	247,950	0.044
2006	183,657	0.015
2007	149,100	0.009
2008	159,450	0.007
2009	140,850	0.082
2010	158,900	0.317
2011	134,450	0.041
2012	102,000	0.018
2013	132,250	0.009
2014	135,250	0.030
2015	139,950	0.005

Exhibit 5-4. Total Low-Level Radioactive Waste from 2000-2015

Year	Cubic meters (m ³) or Kilograms (kg)	Total Activity in Curies (Bq)
2001	565 m ³	1,288.43 (4.77 x 10 ¹³)
2002	858,568 kgs	4,950.14 (1.83 x 10 ¹⁴)
2003	8,208 kgs	0.03 (1.11 x 10 ⁹)
2004	4,467 kgs	0.0202 (7.48 x 10 ⁸)
2005	30.29m ³	0.01997 (7.389 x 10 ⁸)
2006	11.12m ³	2.3543 (8.711 x 10 ¹⁰)
2007	8.6 m ³	0.09285 (3.435 x 10 ⁹)
2008	3.63 m ³	0.08341 (3.086 x 10 ⁹)
2009	No Shipment	No Shipment
2010	13.3	6.30270 (2.332 x 10 ¹¹)
2011	15.6 m ³	0.0351 (1.297x10 ⁹)
2012	No shipment	No shipment
2013	34.9m ³	0.357 (1.32x10 ¹⁰)
2014	17.1	0.0082 (3.03x10 ⁸)
2015	No shipment	No shipment

**Exhibit 5-5. B-box with Liner in RWHF
for Shipping Radioactive Waste to Clive**

5.1.3 Radioactive Waste

In 2015, a small amount of low-level radioactive wastes (LLW) were stored on-site in the Radioactive Waste Handling Facility (RWHF). There was not a sufficient quantity of waste to justify the transportation expense for disposal (Exhibit 5-4).



PPPL did not ship radioactive waste for disposal in 2015. Wastes are packaged for shipment and disposal in metal containers, referred to as “B-boxes” and drums (Exhibit 5-5). PPPL maintains waste profiles for LLW that is shipped off-site for burial. PPPL ships radioactive waste to the Energy Solutions facility in Clive, Utah. PPPL’s radioactive waste program is audited periodically to ensure compliance with burial facility and DOT requirements. The audit includes employee training, waste characterization, waste packaging, quality control, and records retention.

5.1.4 Airborne Emission - Differential Atmospheric Tritium Samplers (DATS)

PPPL uses differential atmospheric tritium sampler (DATS) to measure elemental (HT) and oxide tritium (HTO) at the D site stack. DATS are similarly used at four environmental sampling stations located on D-site facility boundary trailers (T1 to T4), All of the aforementioned monitoring is performed on a continuous basis.

Tritium (HTO and HT) was released and monitored at the D-site stack (Appendix Table 3). Projected dose equivalent to the MEI from airborne emissions of tritium was 0.0020 mrem/year (2.0e-5 mSv/year) in 2015.

5.2 Release of Property Containing Residual Radioactive Material

Release of property containing residual radioactivity material is performed in accordance with PPPL ES&H Directives (ESHD) 5008, Section 10, Subpart L.

Such property cannot be released for unrestricted use unless it is demonstrated that contamination levels on accessible surfaces are less than the values in Appendix D of ES&HD 5008, Section 10, and that prior use does not suggest that contamination levels on inaccessible surfaces exceed Appendix D values. For tritium and tritiated compounds, the removable surface contamination value used for this purpose is 1,000 dpm/100 cm².

5.3 Protection of Biota

The highest measured concentrations of tritium in ground water in 2015, was 900.9 pCi/L D-Site Airshaft sump, in July (Appendix Table 4) and for surface water 180.2 pCi/L Bee Brook, E1, P1, and D&R Canal (Appendix Table 5). This concentration is a small fraction of the water biota concentration guide (BCG) (for HTO) of 3×10^8 pCi/L for aquatic system evaluations, and the water BCG (for HTO) of 2×10^8 pCi/L for terrestrial system evaluations, per DOE Standard STD-1153-2002, "A Graded Approach for Evaluating Radiation Doses to Aquatic and Terrestrial Biota" [Lev16a & 16b]. Because of these low doses, PPPL does not conduct direct biota monitoring.

5.4 Unplanned Releases

There were no unplanned radiological releases in 2015.

5.5 Environmental Radiological Monitoring

5.5.1 Waterborne Radioactivity

A. Surface Water

Surface-water samples from nine locations; two on-site locations: DSN001, and E1; and seven off-site locations: B1, B2, C1, DSN003, M1, P1, and P2) have been analyzed for tritium (Appendix Table 5).

In August, and September 2015 at Bee Brook, the tritium concentration was detected at 180.2 pCi/L, this same level was also present at E1 in August, P1 in May, and the D&R Canal in September. This concentration of 180.2 pCi/L was the highest for surface water sample(s) (Appendix Table 5).

In April 1988, PPPL began on-site precipitation measurements as part of its environmental surveillance program. On a weekly basis, precipitation is measured by an on-site rain gauge. The 2015 weekly precipitation amounts are shown on Appendix Table 2. Based on the average rainfall, a comparison of dry or wet years shows that 2015 was below the average rainfall total at 39.8 inches, a -6.2 inches deficit from New Jersey's expected average of 46inches (116.8cm) (Appendix Table 6).

B. Ground Water

Ground water samples are taken from five locations, two building foundation sumps: D-Site Airshaft, and D-Site MG are sampled monthly, and three on-site wells are sampled quarterly. The highest concentration of tritium in ground water was found in the D-site air shaft at 900.9 pCi/L in July 2015 (Appendix Table 4). These tritium concentrations are well below the Drinking Water Standard of 20,000 pCi/L. The three on-site wells used to monitor for tritium in

the ground water (TW-1, TW-5, TW-8) were tested for tritium in 2015 and well TW-1 had a level of 540.5 pCi/L in the second quarter (Appendix Table 4).

Based on PPPL's environmental monitoring data and the available scientific literature [Jo74, Mu77, Mu82, Mu90], the most likely source of the tritium detected in the on-site ground water samples is from the atmospheric releases of tritium from the D-site stack and the resulting "wash-out" during precipitation. Monitoring of ground water from wells and the building foundation sump (dewatering sump for D-site buildings) will continue as on-going atmospheric releases necessitate.

C. Drinking (Potable) Water

Potable water is supplied by the public utility, New Jersey American Water Company, formerly Elizabethtown Water Company. In April 1984, a sampling point at the input to PPPL (E1 location) was established to provide baseline data for water coming onto the site. Radiological analysis has included gamma spectroscopy and tritium-concentration determination. In 2015, tritium concentration at this location was 180.2 pCi/L in August (Appendix Table 5).

5.5.2 Foodstuffs, Soil, and Vegetation

There were no foodstuffs, soil, or vegetation samples gathered for analysis in 2015. In 1996, the Health Physics (HP) Manager reviewed the requirement for soil/biota sampling. At that time, a decision was made to discontinue the sampling program. Tritium was not detected in almost all samples and these data were not adding to the understanding of tritium transport in the environment. Greater emphasis was placed on water sampling and monitoring, which produced more relevant results.

✱

Site Hydrology, Ground Water, and Drinking Water Protection

The DOE Princeton Plasma Physics Laboratory's Site Hydrology, Ground Water, and Drinking Water Protection program includes information about PPPL's compliance with the Ground Water Remedial Action Permit issued by NJ Department of Environmental Protection. This permit requires quarterly and annual ground water monitoring that includes testing for volatile organic compounds and natural attenuation products.

6.1 Lower Raritan River Watershed

PPPL is located within the Bee Brook Watershed. Bee Brook is a tributary to the Millstone River, which is part of the Raritan River Watershed (Exhibit 6-1). NJDEP has developed a watershed-based management program for prospective environmental planning and has divided the State of New Jersey into twenty watershed basins.

Locally, the Bee Brook Watershed encompasses approximately 700 acres within the Princeton Forrestal Center and James Forrestal Campus tracts. It begins at College Road East (approximately 1600 feet east of US Route 1), flows south in a wide flood plain, and then discharges into Devil's Brook at the entrance to Mill Pond [Sa80].

6.2 Geology & Topography

PPPL is situated on the eastern edge of the Piedmont Physiographic Province, approximately one-half mile from the western edge of the Atlantic Coastal Plain Province. The site is underlain largely by gently dipping and faulted sedimentary rock of the Newark Basin. The Newark Basin is one of several rift basins that were filled with sedimentary material during the Triassic Period, about 250-200 Ma (million years ago). At PPPL, bedrock is part of the Stockton Formation, which is reportedly more than 500 feet thick and consists of fractured red siltstone and sandstone [Lew87]. Regionally, the formation strikes approximately north 65 degrees east, and dips approximately 8 degrees to the northwest. The occurrence of limited amounts of clean sand near the surface indicates the presence of the Pennsauken Formation. This alluvial material was probably deposited during the Aftonian Interglacial period of the Pleistocene Epoch (approximately 2.6 million to 12,000 years ago).

Exhibit 6-1. Millstone River Watershed Basin



Within 25 miles, there are a number of documented faults; the closest of which is the Hopewell fault located about 8 miles from the site. The Flemington Fault and Ramapo Faults are located within 20 miles. None of these faults are determined to be “active” by the U.S. Geological Survey. This area of the country (eastern central US) is not earthquake-prone, despite the occurrence of minor earthquakes that have caused little or no damage.

The Millstone River and its supporting tributaries geographically dominate the region. The well-watered soils of the area have provided a wealth of natural resources including good agricultural lands from prehistoric times to the present. Land use was characterized by several small early centers of historic settlement and dispersed farmland. It has now been developed into industrial parks, housing developments, apartment complexes and shopping centers [Gr 77].

The topography of the site is relatively flat and open with elevations ranging from 110 feet in the northwestern corner to 80 feet above mean sea level (msl) along the southern boundary. The low-lying topography of the Millstone River drainage reflects the glacial origins of the surface soils; sandy loams with varying percent of clay predominate.

Two soil series are recognized in the immediate vicinity of the site. Each reflects differences in drainage and subsurface water tables. Along the low-lying banks of stream tributaries, Bee Brook, the soils are classified Nixon-Nixon Variant and Fallsington Variant Association and Urban Land [Lew87].

This series is characterized by nearly level to gently sloping upland soils, deep, moderate to well drained, with a loamy subsoil and substratum. The yellowish-white sands contain patches of mottled coloring caused by prolonged wetness. On a regional scale, the water table fluctuates between 1.5 and 2.5 feet below the surface in wet periods and drops below 5 feet during drier months.

In the slightly higher elevations (above 70 feet msl), the sandy loams are better drained and belong to the Sassafras series. Extensive historic farmlands and nurseries in the area indicate this soil provides a good environment for agricultural purposes, both today and in the past.

6.3 Biota

An upland forest type with dominant Oak forest characterizes vegetation of the site. Associated with the various oaks are Red Maple, Hickories, Sweetgums, Beech, Scarlet Oak, and Ash. Red, White, and Black Oaks are isolated in the lower poorly drained areas. Along the damp borders of Bee Brook, a bank of Sweetgum, Hickory, Beech, and Red Maple define the watercourse. The forest throughout most of the site has been removed either for farmland during the last century or recently for the construction of new facilities. Grass has replaced much of the open areas.

The under-story of the wooded areas is partially open with isolated patches of shrubs, vines, and saplings occurring mostly in the uplands area. The poorly drained areas have a low ground cover of ferns, grasses, and leaf litter.


6.4 Flood Plain

All of PPPL's storm water runoff flows to Bee Brook, either directly *via* the retention basin (DSN001) or along the western swale to the wetlands south of the site. Approximately 45% of the site's total area is covered by impervious surfaces – buildings, roadways and parking lots, and storage trailers.

PPPL's Stormwater Management Plan allows for a maximum impervious coverage of 60% of the developable land. Eighteen acres of PPPL's 88.5-acre site are wetlands, 14.5 acres grass, and 18.4 acres upland forest. Gravel, which is semi-impervious, covers approximately 11.1 acres, resulting in an impervious cover (buildings, roadways, sidewalks, etc.) of 26.5 acres. PPPL's current site impervious cover is well under SWPPP's Best Management Practice of 60 percent of total developable coverage [PPPL15l & SE96].

Also, the 500-year flood plain elevation (85 ft. above msl) delineates the storm protection corridor, which is vital to the flood and water quality control program for PPPL as well as the Princeton Forrestal Center site. This "corridor" is preserved and protected from development by Princeton Forrestal Center in the Site Development Plan [PFC80].

Exhibit 6-2. Generalized Potentiometric Surface of the Bedrock Aquifer at PPPL [Lew87]



The general direction of ground-water flow on the site is from the northwest of PPPL toward the southeast in the direction of Bee and Devil’s Brooks. The operation of several building foundation drain sump pumps creates a local and shallow cone of depression radially toward the sumps (Exhibit 6-2).

Ground water is pumped from the sumps into the retention basin, which flows into Bee Brook. Bee Brook is hydraulically connected with ground water; during flooding stages, the brook recharges ground water and during low-flow periods, ground water discharges to the brook.

6.5 Groundwater Monitoring

6.5.1 Monitoring Wells

PPPL has installed a total of 46 wells to monitor ground-water quality under various regulatory programs (Exhibit 6-3), although many wells have since been decommissioned. PPPL has 32 active monitoring wells for environmental monitoring and surveillance purposes. Remedial Investigation and Remedial Alternatives Analysis (RI/RAA) studies were conducted to delineate shallow ground water contamination and identify a suitable remedy for ground water contamination under the New Jersey Site Remediation Program [PPPL99a & b]. A Remedial Action Work Plan (RAWP) was approved by NJDEP in 2000. Ground water monitoring continues as part of the selected remedy [PPPL00]. PPPL completed the transition from NJDEP oversight to the new state-mandated Licensed Site Remediation Professional (LSRP) program in May 2012. In August 2013, NJDEP issued

Groundwater Remedial Action Permit number RAP13001, effective on August 27, 2013 for 30 years, for the ongoing remediation and monitoring programs at PPPL. PPPL has modified its monitoring program to meet conditions of the new permit [NJDEP13b].

Exhibit 6-3. 2015 Monitoring Wells

	Remedial Action Monitoring Well (MW)	Environmental Surveillance (TW)
Active Wells Monitored On-Site	22	10
Active Wells Monitored Off-Site	0	0
Number of Wells Sampled	15	3
Sampling Rounds Completed	4	4

Exhibit 6-4. 2015 Groundwater Contamination

Ranges of Results for Positive Detections		
	2015 Wells	2015 Sumps
Tritium (pCi/L)	540.5	900.9
PCE (µg/L)	ND – 90.6	ND – 42.8
TCE (µg/L)	ND – 24.3	ND – 4.86

Note: ND- Not Detected;
Bkg- Background radiation naturally present

6.5.2 Sampling Events

In support of the approved ground water remedial action, PPPL monitors the groundwater wells quarterly in March, June, September and December. The type of equipment used by PPPL to sample the ground water is shown in Exhibits 6-5. Gas from either a compressed gas (carbon dioxide) cylinders or from a gasoline-powered air compressor is pumped down into the well via a Teflon-lined polyethylene tube into the dedicated bladder pump. The air pushes the water up through the exit tube and water flows through a chamber containing instruments to measure pH, conductivity, dissolved oxygen, temperature, and turbidity. Discharged water flows into a bucket that measures the volume discharged. A water level gauge is used to determine the rate of water recharging back into the well to ensure the sample will be representative of the groundwater. Groundwater parameters sampled can be seen in Exhibit 6-6.

Ground water monitoring results show that tetrachloroethylene, trichloroethylene (PCE, TCE), and their natural degradation products are present in a number of shallow and intermediate-depth wells on C-site (Exhibit 6-4). These VOCs are commonly contained in industrial solvents or metal degreasing agents. The source of these chemicals has been identified as a former waste storage area known as the PPPL Annex Building.

Foundation de-watering sumps located on D-site influence ground water flow across the site (Exhibits 6-8). The sumps create a significant cone of depression drawing ground water toward them. Under natural conditions, ground water flow is to the south-southeast toward Bee Brook; however, because of building foundation drains on D-Site, ground water beneath the site is drawn radially toward the D site sumps [EPA99, NJDEP13b & PPPL13c].

Exhibit 6-5. Well Monitoring Set-up



Exhibit 6-6. Groundwater Parameters

Frequency	Analytical Parameter	Analytical Method
Subcontractor		
Quarterly	Volatile Organic Compounds (VOC)	EPA-624
Annual	+ Library Search	EPA-300.0
Annual	Nitrate & Nitrite	EPA-300.0
Annual	Chloride	EPA-300.0
Annual	Sulfate	SM 2320B
Annual	Alkalinity	EPA-200.8 Rev. 5
Annual	Manganese	SM20/3500FEB
Annual	Ferrous Iron (Fe ⁺²)	RSK-175
Annual	Dissolved Methane, Ethane,	SM 4500S D
Annual	Ethene	SM 5310C
Quarterly	Sulfide	EPA 906.0
(TW Wells)	Total Organic Carbon (TOC)	
	Tritium	

6.5.3 Remedial Action Work Plan (RAWP)

Following a site-wide RI/RAA study and remedy selection process, PPPL prepared and submitted a Remedial Action Work Plan (RAWP) outlining continual operation of the ground water extraction system and a long-term monitoring program [Sh00]. The RAWP was submitted to NJDEP in May 2000, which was implemented until the Ground Water Remedial Action permit was issued in August 2013 [HLA97, HLA98, Sh 10-13].

In January 2002, an Aquifer Classification Exception Area (CEA) Designation was submitted to NJDEP. The CEA designation identifies specific areas where state-wide Ground Water Quality Standards are not met and will not be met for some time. The CEAs was granted for a specific area of an aquifer to address specific VOCs in the shallow (<60 feet deep) aquifer. The CEA request was approved by NJDEP in August 2002. The CEA was recertified in 2013, with submittal of a Biennial Remedial Action and Ground Water Classification Exception Area Recertification Report [PPPL13d].

General RAWP activities monitored:

- Examination of analytical data and water level measurements indicates an inverse relationship between ground water level and VOC concentration.
- Natural attenuation (anaerobic biodegradation) occurs in the wetlands adjacent to CAS/RESA.
- Contaminated ground water is captured by building sumps and is not migrating off-site.

RAWP 2015 activities include:

- NJDEP issued PPPL's Groundwater Remedial Action Permit No. RAP13001, effective for 30 years starting August 27, 2013.
- Quarterly and Annual sampling JM Sorge subcontractor sampled March, June, September, and December.
- Annual sampling will be conducted with VOC + library search and monitored natural attenuation (MNA) parameters in March 2015
- Submittal of the *Remedial Action Progress Report* in 2015; *Remedial Action Biennial Certification for Ground Water* submitted to NJDEP in 2015.
- Bladder pumps and monitoring well casings were refurbished as necessary.
- Groundwater monitoring equipment repairs.

6.5.4 Monitored Natural Attenuation

Examination of analytical data and water level measurements during the Remedial Investigation and the beginning of the Remedial Action indicated an inverse relationship between ground water level and VOC concentration (particularly PCE). Periods of higher water level generally corresponded with lower PCE results. Conversely, higher PCE results are generally coincident with period of lower ground water elevation (Appendix Tables 18-21).


Natural attenuation processes are active as evidenced by presence of degradation compounds in ground water down gradient of source area (Appendix Tables 18-21). PCE is sequentially degraded into trichloroethylene (TCE) and cis-1,2-dichloroethylene (c-1,2-DCE) (Exhibit 6-7). The presence of c-1,2-DCE, dissolved methane, reduced dissolved oxygen levels and negative oxidation-reduction potential (redox) values provide definitive evidence of on-going biological degradation of chlorinated ethenes [PPPL13d, Sh06,07, 08, 09 & 10-13].

Exhibit 6-7: Typical PCE Degradation Pathway



Review and examination of the analytical results indicate that contaminant concentrations, particularly PCE, are generally decreasing and are below the levels documented at the beginning to the Remedial Investigation. Seasonal fluctuations in VOC concentrations were seen in data collected during the RI and during the first two years of remedial action monitoring. These data generally showed peak VOC concentration during the late fall/winter months (Appendix Figure 1 and 2, Exhibits 6-8). The time-trend graph shown in Exhibit 6-7 also includes a second-order polynomial regression line fitted to PCE concentrations. This trend line shows an overall downward trend in contaminant concentration with a significant decrease since early 2007. Spring and summer results are generally lower [PPPL13d].

Exhibit 6-8: PCE Concentration vs. Time at MW-19S (1998-2015)



6.6 Drinking Water Protection

PPPL and the surrounding area do not rely on on-site or shallow supply wells for potable water. All potable water in the immediate area of the Laboratory is provided by New Jersey American Water Company. New Jersey American Water Company is supplied by a variety of sources, including surface water intakes and deep supply wells located throughout its service area. The nearest wells supplying water to New Jersey American are located approximately 2 miles south-southwest of the Laboratory near the Millstone River. As discussed above, ground water contaminated with PCE and other organic chemicals is captured by the building foundation drains and is not migrating offsite.

*

Quality Assurance

The DOE Princeton Plasma Physics Laboratory's As required by DOE Order 450.1, Environmental Protection Program and DOE O 414.1D, Quality Assurance, PPPL has established a Quality Assurance/Quality Control (QA/QC) Program to ensure that the accuracy, precision, and reliability of environmental monitoring data are consistent.

7.1 PEARL Lab Certification

In 2015, analyses of environmental samples for radioactivity and other analyze immediately non radiological parameters were conducted by PPPL's on-site analytical laboratory (Exhibits 7-1 & 7-2).

Exhibit 7-1. PEARL Chlorine Standard Check for Accuracy




Exhibit 7-2. Distilling Samples for Tritium Analysis Performed at PEARL



The Princeton Environmental Analytical Radiological Laboratory (PEARL) procedures follow the DOE's Environmental Measurements Laboratory's *EML HASL-300 Manual* [Vo82], EPA's *Methods and Guidance for Analysis of Water* [EPA99] and *Standard Methods of Water and Wastewater Analysis* [SM12] that are nationally recognized standards.

Beginning in 1984, PPPL participated in a NJDEP certification program initially through the USEPA QA program. In March 1986, EPA/Las Vegas and NJDEP reviewed PPPL's procedures and inspected its facilities. The laboratory became certified for tritium analysis in urine (bioassays) and water. In 2001, USEPA turned the QA program over to the states; NJDEP chose a contractor laboratory, ERA, to supply the radiological proficiency tests. As of October 2013, NJDEP is no longer administrating PT Sample Contracts, requiring individual sites to obtain their own approved PT Sample Providers to obtain PT samples.

PPPL's PEARL participated in a NJDEP Office of Quality Assurance (OQA) Audit on May 20-21, 2015 for both radiological and non-radiological parameters. PPPL responded to NJDEP's onsite audit report dated May 29th, 2015. PPPL's response to NJDEP Corrective Action Plan (CAP) included dropping all of PPPL's PEARL radiological parameters including tritium and gamma spectroscopy certifications [PPPL15n].

7.1.1. Radiological Parameters

In response to PPPL's on site NJDEP OQA Audit, all PEARL radiological parameters including tritium and gamma spectroscopy certifications were dropped as of August 14, 2015 (Page 19, sidebar). As a best management practice, PPPL will continue to maintain in a National Institute for Standards and Technology's (NIST) National Voluntary Laboratory Accreditation Program (NVLAP) accredited radiochemistry proficiency testing program twice annually in 2015. Cesium, cobalt and zinc use a gamma spectroscopy technique while tritium uses a distillation and liquid scintillation method as seen in Appendix Table 24 (Exhibit 7-3) [PPPL15n].

Exhibit 7-3. 2015 NJDEP Radiological Certified Parameters

Parameter	Approved Method
Cesium 134/137*	SM 7120
Cobalt 60*	SM 7120
Zinc 65*	SM 7120
Tritium*	EPA 906.0

*Dropped all parameters as of 8/14/2015

7.1.2. Non-Radiological Parameters

For non-radiological parameters, PPPL participates in NJDEP Laboratory Certification program (NJ ID #12471) (Exhibit 7-4). A requirement of the certification program is to analyze within the acceptance range the quality control (QC) and proficiency test (PT) samples that are purchased from outside laboratory suppliers. These PT samples are provided as blind samples for analysis; the test results are submitted prior to the end of the study. Results are supplied to PPPL and NJDEP to confirm a laboratories' ability to correctly analyze those parameters being tested. In Appendix Table 24, the radiological and non-radiological proficiency testing (PT) results show that all PEARL's results were in the acceptable range.

Exhibit 7-4. 2015 NJDEP Non-Radiological Certified Parameters

Parameter	Approved Method
Chlorine	SM 4500-Cl G
pH	SM 4500-H B
Temperature	SM 2550 B

7.2 Subcontractor Labs

PPPL followed its internal procedures, EM-OP-49- “Methods for Measuring Analyze Immediately Parameters,” EM-OP-31—“Surface Water Sampling Procedure,” and EM-OP-38—“Ground Water Sampling Procedures.” These procedures provide detailed descriptions of all NJPDES permit-required sampling and analytical methods for collection of samples, analyses of these samples, and quality assurance/quality control requirements. Chain-of-custody forms are required for all samples; holding times are closely checked to ensure that analyses are performed within established holding times and that the data is valid; trip blanks are required for all volatile organic compound analyses.

Subcontractor laboratories used by PPPL are certified by NJDEP and participate in the state’s QA program; the subcontractor laboratories must also follow their own internal quality assurance plans. Eurofins/QC Laboratories and SGS/Accutest Laboratories were used for environmental laboratory analysis. PPPL groundwater subcontractor JM Sorge has NJDEP state laboratory certifications for analyze immediately parameters. Precision Testing is used to analyze the majority of hazardous waste sampling analysis.

7.3 Internal QA/QC

7.3.1 Internal Audit

PPPL’s Quality Assurance program provides a variety of internal audits annually. The audits are completed with a member of QA and a subject matter expert. The following is a list of audits dealing with the environmental issues or environmental management.

In 2015, PPPL participated in the following environmental internal audits:

- NJDEP PEARL Audit
- Radiological Protection Audit
- Nuclear Material Control & Accountability
- Material Transportation & Handling

7.3.2 Internal QA Check

PPPL's PEARL ensures QA/QC through EM-QA-02 "Quality Assurance/Quality Control Plan for Analyze Immediately Parameters." PPPL has revised internal QA procedures to comply with NJDEP corrective actions.

- NIST Temperature calibrations are conducted quarterly, or replaced with new NIST certification for long stem thermometer.
- Chlorine field meters and secondary standards are calibrated at least quarterly by chlorine standard concentrations; Quarterly chlorine calibration curves are generated.
- Duplicate samples of chlorine, pH and temperature will be conducted daily or per 20 samples.

7.3.3. Calibrations

PPPL calibrates all equipment per equipment manual and following EM-OP-49 and EM-QA-02 procedures. Calibrations are recorded in lab calibration log and reported to Head QA Officer for review.

PPPL's Environmental QA procedures following for calibration prior to sampling. The chlorine field meter is verified by using calibrated Secondary Standards. pH meters are calibrated with a 3-point standard calibration, and verified by checking the pH to the 7.01 standard.

7.3.4 Chemicals

Chemical inventories are performed quarterly to insure proper storage, expiration and quantity checks. Chemical name, stock number, lot number, date received, date opened and expiration date are all checked to ensure chemical quality for calibration. Expired chemicals are removed from service and processed through our lab wide Hazardous Waste ID tag program.

7.4 External QA/QC

PPPL's external audits can be completed by a variety of different sources. Local, state and federal entities such as US DOE or NJDEP may request an on-site audit or inspection at any time. As reviewed in Chapter 3, PPPL's EMS requires ISO Registrar Audits for Registration and Surveillance Audits. All corrective action were tracked and completed using PPPL's internal by the QA Division[UL15].

There was one external audit performed for Environmental QA/QC in CY 2015:

- Environmental Management System (EMS) UL-DQS ISO -14001:2004



References

- 10CFR835 Title 10, Code of Federal Register, Part 835, *Occupational Radiation Protection, Appendix D – Surface Radioactivity Values*.
- 40CFR141 Title 40, Code of Federal Register, Part 141.66, *National Primary Drinking Water Regulations, Maximum contaminant levels for radionuclides*.
- Am98 Amy S. Greene Environmental Consultants, Inc., 1998, *Baseline Ecological Evaluation Princeton Plasma Physics Laboratory, Plainsboro Township, Middlesex County, New Jersey*.
- Be87b Bentz, L. K., and Bender, D. S., 1987, *Socioeconomic Information, Plainsboro Area, New Jersey: Supplementary Documentation for an Environmental Assessment for the CIT at PPPL, EGG-EP-7752, INEL, Idaho Falls, Idaho*.
- Cu16 Cummings, C., 2016, *PPPL Audits*, personal communications.
- DOE01 DOE Order 435.1, 2001, *Radioactive Waste Management*.
- DOE11a DOE Order 436.1, 2011, *Department Sustainability*.
- DOE11b DOE Order 458.1, 2011, *Radiation Protection of the Public and the Environment*.
- DOE11c DOE Order 231.1B, *Environment, Safety, and Health Reporting*.
- DOE15 Department of Energy, 2015, *Strategic Sustainability Performance Plan*.
- Dy93 Dynamac Corporation, August 1993, *CERCLA Inventory Report*, prepared for Princeton Plasma Physics Laboratory.
- En87 Envirosphere Company, 1987, *Ecological Survey of Compact Ignition Tokamak Site and Surroundings at Princeton University's Forrestal Campus*, Envirosphere Company, Division of Ebasco, Report to INEL for the CIT.
- EO15 Executive Order 13693, 2015, *Planning for Federal Sustainability in the Next Decade*.

- EPA83 Environmental Protection Agency, Office of Research and Development, Environmental Monitoring and Support, March 1983, *Methods for Chemical Analysis of Water and Waste*, EPA 600-U-79-020.
- EPA99 Environmental Protection Agency, Office of Water, June 1999, *Methods and Guidance for Analysis of Water*, EPA 821-C-99-004.
- Fin16a Finley, V.L., 2016, *2015 Total Flow Discharged from DSN001, Basin Outfall*, personal communication.
- Fin16b Finley, V.L., 2016, *2015 PPPL Boiler Emission Calculations for Criteria Air Pollutants*, personal communication.
- Fin16c Finley, v. L., 2016, *1990-2016 Permit Compliance Summary*, personal communication.
- Gr77 Grossman, J. W., 1977, *Archaeological and Historical Survey of the Proposed Tokamak Fusion Test Reactor*, Rutgers University.
- HLA 97 Harding Lawson Associates, March 28, 1997, *Remedial Investigation/Remedial Action Report Phase I and II, Princeton University Plasma Physics Laboratory, James Forrestal Campus, Plainsboro, New Jersey*.
- HLA98 Harding Lawson Associates, September 25, 1998, *Remedial Investigation/Remedial Action Report Addendum, Phase 3 Activities, Princeton Plasma Physics Laboratory, James Forrestal Campus, Plainsboro, New Jersey*, 17 volumes.
- Jo74 Jordan, C. F., Stewart, M., and Kline, J., 1974, *Tritium Movement in Soils: The Importance of Exchange and High Initial Dispersion*, Health Physics 27: 37-43.
- Kin16a King, M., 2016, *2015 Solid Waste Data*, worksheet.
- Kin16b King, M., 2016, *2015 PPPL Fertilizer, Pesticide, and Herbicide Report*, personal communication.
- Lev16a Levine, J., 2016, *2015 Safety Statistics*, personal communication.
- Lev16b Levine, J., 2016, *2015 Tritium Environmental Data and D site Stack Tritium Release Data*, personal communication.
- Lew87 Lewis, J. C. and Spitz, F. J., 1987, *Hydrogeology, Ground-Water Quality, and The Possible Effects of a Hypothetical Radioactive-Water Spill, Plainsboro Township, New Jersey*, U.S. Geological Survey Water-Resources Investigations Report 87-4092, West Trenton, NJ.

- Mor16 Morrison, K., 2016, *2015 Water Data for Potable and Non-Potable Sources and Sanitary Wastes*, personal communication.
- Mu77 Murphy, C. E., Jr., Watts, J. R., and Corey, J. C., 1977, *Environmental Tritium Transport from Atmospheric Release of Molecular Tritium*, Health Physics 33:325-331.
- Mu82 Murphy, C. E., Jr., Sweet, C. W., and Fallon, R. D., 1982, *Tritium Transport Around Nuclear Facilities*, Nuclear Safety 23:667-685.
- Mu90 Murphy, C. E., Jr., 1990, *The Transport, Dispersion, and Cycling of Tritium in the Environment*, Savannah River Site Report, WSRC-RP-90-462, UC702, 70 pp.
- NCRP09 National Council on Radiation Protection and Measurements, 2009, *Ionizing Radiation Exposure of the Population of the United States*.
- Nem16 Nemeth, J. 2016, *2015 Boiler Stack Efficiency Test Results and Subpart JJJJJJ form submittal*.
- NJB97 NJ Breeding Bird Atlas Report, 1997, *A New Jersey Breeding Bird Atlas Data Base Inquiry for Plainsboro Township, Middlesex County, New Jersey*, Cape May Bird Observatory (Letter), January 13, 1998.
- NJDEP84 NJ Department of Environmental Protection, December 1984, *Bee Brook - Delineation of Floodway and Flood Hazard Area*.
- NJDEP97 New Jersey Department of Environmental Protection, Natural Heritage Program, 1997, *A Natural Heritage Data Base Inquiry for Plainsboro Township, Middlesex County, New Jersey*, NJDEP Natural Heritage Program (Letter), NHP file No. 97-4007435.
- NJDEP09 New Jersey Department of Environmental Protection, 2009, *NJPDES Ground Water General Permit No. NJ0142051 (Lined Surface Impoundment)*
- NJDEP13a New Jersey Department of Environmental Protection, 2013, *Final Surface Water Permit, New Jersey Pollutant Discharge Elimination System (NJPDES), NJ0023922*.
- NJDEP13b New Jersey Department of Environmental Protection, 2013, *NJPDES Ground Water Remedial Monitoring Permit, RAP130001*.
- NJDEP15 New Jersey Department of Environmental Protection, 2015, *Letter from P. Blaze (Office of Quality Assurance) to V. Finley (PPPL), Laboratory Certification Number 12471, Onsite Audit conducted on May 20,-21, 2015, Response to Corrective Action Plan (CAP)*.

- NJWSA12 New Jersey Water Supply Authority, 2012, *Withdrawal Agreement of Water from the Delaware & Raritan Canal*.
- PFC80 Princeton Forrestal Center, 1980, *Storm Water Management Plan Phase I*, prepared by Sasaki Associates, Inc.
- PPPL95 Princeton Plasma Physics Laboratory, March 1995, *Proposed Site Treatment Plan [PSTP] for Princeton Plasma Physics Laboratory [PPPL]*.
- PPPL99a Princeton Plasma Physics Laboratory. 1999, *Phase IV Remedial Investigation Report*.
- PPPL99b Princeton Plasma Physics Laboratory. 1999, *Remedial Action Selection Report*.
- PPPL00 Princeton Plasma Physics Laboratory, 2000, *Remedial Action Work Plan*.
- PPPL05 Princeton Plasma Physics Laboratory, August 2005, *Cultural Resource Management Plan*.
- PPPL08a Princeton Plasma Physics Laboratory, January 22, 2008, *Laboratory Mission*, O-001, TCR R-1-002, Rev. 4.
- PPPL09 Princeton Plasma Physics Laboratory, 2009, *Freehold Soil Conservation District Permit No.2009-0343 (D-site rain garden and landscaping)*.
- PPPL10a Princeton Plasma Physics Laboratory, 2010, *Acute Toxicity Bio-monitoring Tests for DSN003 Report*.
- PPPL11 Princeton Plasma Physics Laboratory, 2011, *Spill Prevention Countermeasure and Control Plan (SPCC Plan)*.
- PPPL12 Princeton Plasma Physics Laboratory, 2012, *Low-Level Radioactive Waste Program Basis Document*.
- PPPL13a Princeton Plasma Physics Laboratory, 2013, *EM-OP-46 Environmental Aspects and Impacts Evaluation, Rev. 3*.
- PPPL13b Princeton Plasma Physics Laboratory, 2013, *Nuclear Materials Control and Accountability (MC&A) Plan, HP-PP-06. Rev.8*.
- PPPL13c Princeton Plasma Physics Laboratory, 2013, *NJDEP Ground Water Remedial Monitoring Permit Program*.

- PPPL13d Princeton Plasma Physics Laboratory, 2013, *2013 Remedial Action Progress Report and Ground Water Classification Exception Area Reclassification Report*.
- PPPL13e Princeton Plasma Physics Laboratory, 2013, *NJPDES Surface Water Monitoring Permit Program with focus on the compliance limits*.
- PPPL14a Princeton Plasma Physics Laboratory, 2014, *Excavation Soil Erosion and Sediment Control, ES-MECH-013 Rev. 0*
- PPPL15a Princeton Plasma Physics Laboratory, 2015, *Environmental Management System Description, Revision 5*.
- PPPL15b Princeton Plasma Physics Laboratory, 2015, *Appendix A, Summary of Environmental Aspects and Impacts by Facility, Rev. 5*.
- PPPL15c Princeton Plasma Physics Laboratory, 2015, *Appendix B, Summary of PPPL EMS Legal and Other Requirements, Rev. 5*.
- PPPL15d Princeton Plasma Physics Laboratory, 2015, *Appendix C, Summary of PPPL EMS Objectives and Targets*.
- PPPL15e Princeton Plasma Physics Laboratory, December 2015, *DOE Order 13693 PPPL Site Sustainable Plan*.
- PPPL15f Princeton Plasma Physics Laboratory, December 2015, *PPPL 2015 Comprehensive Energy Data Report (CEDR)*.
- PPPL15g Princeton Plasma Physics Laboratory, 2015, *Chronic Toxicity Bio-monitoring Tests for DSN001 Report*.
- PPPL15h Princeton Plasma Physics Laboratory, 2015, *NJPDES Waste Characterization Report for DSN001*.
- PPPL15i Princeton Plasma Physics Laboratory, 2015, *Health Physics Procedures (Calibration, Dosimetry, Environmental, Field Operations, Laboratory, Material Control and Accountability, and Radiological Laboratory)*.
- PPPL15j Princeton Plasma Physics Laboratory, 2015, *NJPDES Waste Characterization Report for DSN003*.
- PPPL15k Princeton Plasma Physics Laboratory, 2015, *Letter of Interpretation (LOI) Wetlands Delineation*.

- PPPL15l Princeton Plasma Physics Laboratory, 2015, *Storm Water Pollution Prevention Plan*.
- PPPL15m Princeton Plasma Physics Laboratory, 2015, *Environmental Monitoring Plan, Rev. 7*.
- PPPL15n Princeton Plasma Physics Laboratory, 2015, *Letter from V. Finley (PPPL) to P. Blaze (Office of Quality Assurance), Laboratory Certification Number 12471, Onsite Audit conducted on May 20,-21, 2015, Response to Report dated May 29, 2015, and to Corrective Action Plan (CAP) dated July 20, 2015*.
- PPPL16a Princeton Plasma Physics Laboratory, 2016, *SARA Title III Annual Report for 2015*.
- PPPL 16b Princeton Plasma Physics Laboratory, 2016, *NESHAPs Annual Report for Tritium Emissions 2015*.
- Pue16a Pueyo, M., 2016, *2015 Hazardous, TSCA, and Medical Waste Data*, personal communication.
- Pue16b Pueyo, M., 2016, *2015 Spill Release Number of Incidents*, personal communication.
- PSAR78 *Preliminary Safety Analysis Report, Princeton Plasma Physics Laboratory Tokamak Fusion Test Reactor, 1978*.
- Rul16 Rule, K., 2016, *2015 Effective Dose Equivalent Calculations for PPPL Operations*, personal communication.
- Sa80 Sasaki Associates, February 1980, *Princeton Forrestal Center, Storm Water Management Plan for Bee Brook Watershed*, prepared for Delaware & Raritan Canal Commission.
- SE96 Smith Environmental Technologies, Corp., February 29, 1996, *Final Site-Wide Storm Water Management Plan, Princeton Plasma Physics Laboratory, James Forrestal Campus, Plainsboro Township, Middlesex County, New Jersey*.
- Sh00 Sheneman, R., May 2000, *Princeton Plasma Physics Laboratory -- Remedial Action Work Plan*.
- Sh06 Sheneman, R., July 2006, *Princeton Plasma Physics Laboratory - Remedial Action Monitoring Report*.
- Sh07 Sheneman, R., July 2007, *Princeton Plasma Physics Laboratory - Remedial Action Monitoring Report*.

- Sh08 Sheneman, R., July 2008, *Princeton Plasma Physics Laboratory - Remedial Action Monitoring Report*.
- Sh09 Sheneman, R., July 2009, *Princeton Plasma Physics Laboratory - Remedial Action Monitoring Report*.
- Sh10-13 Sheneman, R., 2010-2013, *Princeton Plasma Physics Laboratory - Remedial Action Monitoring Report*.
- Sla16 Slavin, W., 2016, *No continuous releases*, person communication.
- SM12 American Public Health Association, American Water Works Association, and Water Environment Federation, 2012 (22nd edition), *Standard Methods for the Examination of Water and Wastewater*.
- Str16 Strauss, D., 2016, *NEPA Statistics for 2016*, personal communication.
- UL14 UL-DQS, Inc., 2014 « *Stage 3 Report ISO 14001:2004 Evaluation of PPPL's International Standard Organization (ISO) – Environmental Management System.*”
- US13 US Census Bureau Statistics, *2013 Census Data for the State of New Jersey*, <http://www.census.gov/census2000/states/nj.html>
- Vo82 Volchok, H. L., and de Planque, G., 1982, *EML Procedures Manual HASL 300*, Department of Energy, Environmental Measurements Laboratory, 376 Hudson St., NY, NY 10014.

*

ACKNOWLEDGMENTS

Engineering and Infrastructure Department:

Fran Cargill and Adam Salmon– transportation/vehicle fuel use
Margaret Kevin-King - fertilizer, herbicide, and pesticide data and municipal solid waste and recycling data
Kate Morrison – energy and water-utilization data
Jules Nemeth – boiler fuel use, run time, and test data

Information Services Division:

Elle Starkman - Photos of NSTX and photos from the “PPPL Hotline”
Jeanne Jackson-DeVoe and Larry Bernard – “PPPL Weekly” articles

Quality Assurance Division:

Connie Cummings – audit status

Environment, Safety & Health Department:

Jerry Levine - NEPA data and safety statistics

Industrial Safety Division:

Bill Slavin - SARA Title III and Toxic Release Inventory information

Health Physics Division:

George Ascione - radiological and calibration data
Patti Bruno - in-house radiochemical and water analyses

Environmental Services Division:

Caroline Brooks – Table generation
Mark Hughes – cover design, acronym list, introduction chapter
Leanna Meyer –non-radiological programs, groundwater and quality assurance chapters
Maria Pueyo – RCRA, TSCA, SPCC and radiological waste data
Keith Rule – radiological program chapter and dose calculations
Rob Sheneman - ground water data, environmental management system/ISO chapter

This work is supported by the U.S. Department of Energy Contract No. DE-AC02-09CH11466.

✱

TABLES for 2015
Table # Title Page

Table 1.	PPPL Radiological Design Objectives and Regulatory Limits	70
Table 2.	Annual Precipitation Data for 2015.....	71
Table 3.	D-Site Stack Tritium Releases in Curies in 2015.....	72
Table 4.	Ground Water Tritium Concentrations for 2015.....	73
Table 5.	Surface Water Tritium Concentrations for 2015.....	73
Table 6.	Annual Range of Tritium Concentrations at PPPL in Precipitation from 1985 to 2015.....	74
Table 7.	Liquid Effluent Collection Tank Release Data for 2015.....	75
Table 8.	Total Fuel Consumption by Fuel Type and Boiler.....	75
Table 9.	Surface Water Analysis for Bee Brook, B1, in 2015	76
Table 10.	Surface Water Analysis for Bee Brook, B2, in 2015	76
Table 11.	Surface Water Analysis for Delaware & Raritan Canal, C1, in 2015	77
Table 12.	Surface Water Analysis for Elizabethtown Water, E1, in 2015.....	77
Table 13.	Surface Water Analysis for Millstone River, M1, in 2015	78
Table 14.	Surface Water Analysis for Cranbury Brook (Plainsboro), P1, in 2015.....	78
Table 15.	Surface Water Analysis for Devil's Brook (Plainsboro), P2, in 2015.....	78
Table 16.	DSN001 - Detention Basin Outfall Surface Water Results (NJPDES NJ0023922) in 2015.....	79
Table 17.	D&R Canal Pump House - DSN003, Surface Water Analysis (NJPDES NJ0023922) in 2015.....	80
Table 18.	Summary of Ground Water Sampling Results - March 2015 Target Chlorinated Volatile Organic Compounds (VOCs) and Monitoring Natural Attenuation	81
Table 19.	Summary of Ground Water Sampling Results - September Target Chlorinated Volatile Organic Compounds (VOCs) and Monitoring Natural Attenuation	83
Table 20.	Summary of Ground Water Sampling Results - September 2015 Target Chlorinated Volatile Organic Compounds (VOCs) and Monitoring Natural Attenuation	84
Table 21.	Summary of Ground Water Sampling Results - December 2015 Target Chlorinated Volatile Organic Compounds (VOCs) and Monitoring Natural Attenuation	85
Table 22.	Summary of Ground Water Sampling Results, D-Site MG Sump, 2015.....	86
Table 23.	Summary of Ground Water Sampling Results, D-Site Airshaft Sump, 2015	86
Table 24.	Quality Assurance Data for Radiological and Non-Radiological Samples for 2015.....	87
Table 25.	Waste Characterization Report in 2015	87
Figure 1.	PCE Distribution for Shallow Groundwater Wells, Annual Sampling Event- March 2016.....	88
Figure 2.	Potentiometric Surface Contours Shallow Groundwater Wells, Annual Sampling Event- March 2016.....	89

Table 1. PPPL Radiological Design Objectives and Regulatory Limits^(a)

CONDITION		PUBLIC	EXPOSURE ^(b)	OCCUPATIONAL	EXPOSURE
		REGULATORY LIMIT	DESIGN OBJECTIVE	REGULATORY LIMIT	DESIGN OBJECTIVE
<u>ROUTINE OPERATION</u> Dose equivalent to an individual from routine operations (rem per year, unless otherwise indicated)	NORMAL OPERATIONS	0.1 Total, 0.01 ^(c) Airborne, 0.004 Drinking Water	0.01 Total	5	1
	ANTICIPATED EVENTS ($1 > P \geq 10^{-2}$)	0.5 Total (including normal operation)	0.05 per event		
<u>ACCIDENTS</u> Dose equivalent to an individual from an accidental release (rem per event)	UNLIKELY EVENTS $10^{-2} > P \geq 10^{-4}$	2.5	0.5	(e)	(e)
	EXTREMELY UNLIKELY EVENTS $10^{-4} > P \geq 10^{-6}$	25	5 ^(d)	(e)	(e)
	INCREDIBLE EVENTS $10^{-6} > P$	NA	NA	NA	NA

P = Probability of occurrence in a year.

^(a) All operations must be planned to incorporate radiation safety guidelines, practices and procedures included in PPPL ESHD 5008, Section 10.

^(b) Evaluated at PPPL site boundary.

^(c) Compliance with this limit is to be determined by calculating the highest effective dose equivalent to any member of the public at any offsite point where there is a residence, school, business or office

^(d) For design basis accidents (DBAs), i.e., postulated accidents or natural forces and resulting conditions for which the confinement structure, systems, components and equipment must meet their functional goals, the design objective is 0.5 rem.

^(e) See PPPL ESHD-5008, Section 10, Chapter 10.1302 for emergency personnel exposure limits.

Table 2. Annual Precipitation Data for 2015

START DATE	WEEK	INCHES	CUM. INCHES	MONTHLY TOTAL	
6-Jan-15	1	1.0700	1.0700		
13-Jan-15	2	0.5800	1.6500		
20-Jan-15	3	1.9700	3.6200		
27-Jan-15	4	0.7200	4.3400	4.3400	JANUARY
3-Feb-15	5	1.1900	5.53		
10-Feb-15	6	0.0300	5.5600		
17-Feb-15	7	0.3000	5.8600		
24-Feb-15	8	0.7300	6.5900	2.2500	FEBRUARY
3-Mar-15	9	0.6400	7.2300		
10-Mar-15	10	1.8600	9.0900		
17-Mar-15	11	0.9000	9.9900		
24-Mar-15	12	0.9000	10.8900		
31-Mar-15	13	0.0400	10.9300	3.7000	MARCH
7-Apr-15	14	0.0800	11.0100		
14-Apr-15	15	0.1900	11.2000		
21-Apr-15	16	2.0900	13.2900		
28-Apr-15	17	0.1400	13.4300	2.5000	APRIL
5-May-15	18	0.1800	13.6100		
12-May-15	19	0.0000	13.6100		
19-May-15	20	0.3200	13.9300		
26-May-15	21	0.0400	13.9700		
2-Jun-15	22	1.7300	15.7000	2.2700	MAY
9-Jun-15	23	1.3500	17.0500		
16-Jun-15	24	0.5100	17.5600		
23-Jun-15	25	0.6700	18.2300		
30-Jun-15	26	2.1600	20.3900	4.6900	JUNE
7-Jul-15	27	0.8700	21.2600		
14-Jul-15	28	1.1200	22.3800		
21-Jul-15	29	0.5000	22.8800		
28-Jul-15	30	0.0800	22.9600		
4-Aug-15	31	0.6100	23.5700	3.1800	JULY
11-Aug-15	32	1.2800	24.8500		
18-Aug-15	33	0.0000	24.8500		
25-Aug-15	34	1.2700	26.1200		
1-Sep-15	35	0.0000	26.1200	2.5500	AUGUST
8-Sep-15	36	0.0000	26.1200		
15-Sep-15	37	1.9900	28.1100		
22-Sep-15	38	0.0000	28.1100		
29-Sep-15	38	0.8300	28.9400	2.8200	SEPTEMBER
6-Oct-15	39	2.1900	31.1300		
13-Oct-15	40	0.6200	31.7500		
20-Oct-15	41	0.0400	31.7900		
27-Oct-15	42	0.0100	31.8000		
3-Nov-15	44	1.6300	33.4300	4.4900	OCTOBER
10-Nov-15	45	0.5800	34.0100		
17-Nov-15	46	0.2200	34.2300		
24-Nov-15	47	1.0900	35.3200		
1-Dec-15	48	0.6600	35.9800	2.5500	NOVEMBER
8-Dec-15	49	0.1500	36.1300		
15-Dec-15	50	0.1200	36.2500		
22-Dec-15	51	1.1000	37.3500		
29-Dec-15	52	2.2900	39.6400		
5-Jan-16	53	0.1600	39.8000	3.8200	DECEMBER

Table 3. D–Site Tritium Stack Releases in Curies in 2015

Week Ending	HTO (Ci)	HT (Ci)	Weekly Total (Ci)	Annual Total (Ci)
1/14/2015	0.02890	0.00216	0.03106	0.03106
1/21/2015	0.03020	0.17900	0.20920	0.24026
1/28/2015	0.03120	0.00140	0.03260	0.27286
2/4/2015	0.01870	0.11100	0.12970	0.40256
2/11/2015	0.02250	0.00121	0.02371	0.42627
2/18/2015	0.02330	0.11700	0.14030	0.56657
2/25/2015	0.02350	0.00126	0.02476	0.59133
3/4/2015	0.02350	0.00120	0.02470	0.61603
3/11/2015	0.06810	0.00158	0.06968	0.68571
3/18/2015	0.03170	0.00141	0.03311	0.71882
3/25/2015	0.02670	0.00151	0.02821	0.74703
4/1/2015	0.02610	0.00261	0.02871	0.77574
4/8/2015	0.03870	0.00131	0.04001	0.81575
4/15/2015	0.04090	0.00157	0.04247	0.85822
4/22/2015	0.04720	0.00125	0.04845	0.90667
4/29/2015	0.03270	0.00150	0.03420	0.94087
5/6/2015	0.03200	0.00096	0.03296	0.97383
5/13/2015	0.03780	0.00423	0.04203	1.01586
5/20/2015	0.04020	0.00199	0.04219	1.05805
5/27/2015	0.03260	0.00184	0.03444	1.09249
6/3/2015	0.03910	0.00123	0.04033	1.13282
6/10/2015	0.38400	0.00705	0.39105	1.52387
6/17/2015	0.03290	0.00111	0.03401	1.55788
6/24/2015	0.04120	0.00110	0.04230	1.60018
7/1/2015	0.03600	0.00270	0.03870	1.63888
7/8/2015	0.03620	0.00098	0.03718	1.67607
7/15/2015	0.03510	0.00247	0.03757	1.71364
7/22/2015	0.03770	0.00107	0.03877	1.75241
7/29/2015	0.04910	0.00230	0.05140	1.80381
8/5/2015	0.05300	0.00163	0.05463	1.85844
8/12/2015	0.04790	0.00203	0.04993	1.90837
8/19/2015	0.05080	0.00150	0.05230	1.96067
8/26/2015	0.05120	0.00193	0.05313	2.01380
9/2/2015	0.04830	0.00089	0.04919	2.06299
9/9/2015	0.05910	0.00140	0.06050	2.12349
9/16/2015	0.03860	0.00120	0.03980	2.16329
9/23/2015	0.03040	0.00190	0.03230	2.19559
9/30/2015	0.03760	0.01170	0.04930	2.24489
10/7/2015	0.03430	0.00189	0.03619	2.28108
10/14/2015	0.03000	0.00092	0.03092	2.31199
10/21/2015	0.02780	0.00162	0.02942	2.34141
10/28/2015	0.03390	0.00093	0.03483	2.37624
11/4/2015	0.03800	0.00156	0.03956	2.41580
11/11/2015	0.50400	0.01420	0.51820	2.93400
11/18/2015	0.04350	0.00211	0.04561	2.97961
11/25/2015	0.03770	0.00125	0.03895	3.01856
12/2/2015	0.03820	0.00198	0.04018	3.05874
12/9/2015	0.03750	0.00092	0.03842	3.09716
12/16/2015	0.03490	0.12300	0.15790	3.25506
Total	2.65260	0.72466	3.37726	3.37726

Table 4. Ground Water Tritium Concentrations for 2015 (in picoCuries/Liter)

Quarter	Well TW-1	Well TW-5	Well TW-8
1	180.2	180.2	*
2	540.5	*	*
3	*	*	*
4	*	*	*

Month	D-Site MG Sump	D-Site Airshaft Sump
January	*	*
February	*	*
March	*	*
April	*	*
May	*	*
June	*	*
July	*	900.9
August	135.1	*
September	*	*
October	*	*
November	*	*
December	*	*

TW wells are sampled quarterly and sumps are taken monthly

*All sample dates not listed or shown without a number, are below LLD

Table 5. Surface Water Tritium Concentrations for 2015 (in picoCuries/liter)

Month	Bee Brook (B1)	Bee Brook (B2)	Basin (DSN001)	Basin Dup (DSN004)	D&R Canal (C1)	D&R Canal (DSN003)	E1	M1	P1	P2
January			*		*	*				
February	*	*	*	*	*	*	*	*	*	*
March			*		*	*				
April			*		*	*				
May	*	135.1	*	*	*	*	135.1	*	180.2	135.1
June			*		*	*				
July			*		*	*				
August	180.2	*	*	*	*	*	180.2	*	*	*
September			*		180.2	*				
October			*		*	*				
November	*	*	*	*	*	*	*	*	*	*
December			*		*	*				

Sample locations B1, B2, DSN004, E1, M1, P1, and P2 are taken quarterly

Sample locations DSN001, DSN003, and C1 are taken monthly

* All sample dates not listed or shown without a number, were below the LLD

Table 6. Annual Range of Tritium Concentration at PPPL in Precipitation from 1985 to 2015

<u>Year</u>	<u>Tritium Range picoCuries/Liter</u>	<u>Precipitation In Inches</u>	<u>Difference from Middlesex County Avg. Precipitation of 46.5 inches/yr</u>
1985	40 to 160		
1986	40 to 140		
1987	26 to 144		
1988	34 to 105		
1989	7 to 90	55.4	+8.8
1990	14 to 94	50.3	+3.8
1991	10 to 154	45.1	-1.5
1992	10 to 838	41.9	-4.6
1993	25 to 145	42.7	-3.8
1994	32 to 1,130	51.3	+4.8
1995	<19 to 2,561	35.6	-10.9
1996	<100 to 21,140	61.0	+14.5
1997	131 to 61,660	42.0	-4.5
1998	<108 to 26,450	42.9	-3.6
1999	<58 to 7,817	47.3(38.7 w/out Floyd)	+0.8(-7.8)
2000	<31 to 3,617	38.7	-7.8
2001	153 to 14,830	32.8	-13.7
2002	24 to 3,921	47.9	+1.4
2003	9 to 1,126	54.7	+8.2
2004	27 to 427	40.5	-6.0
2005	<37 to 623	48.4	+1.9
2006	9 to 3,600	48.1	+1.6
2007	<93 to 1,440	49.1	+2.6
2008	<103 to 1,212	48.2	+1.7
2009	< Bkg to 375	47.1	+1.6
2010	<105 to 469	40.8	-5.7
2011	<109 to 269	65.1	+18.6
2012	3 to 182	38.9	-7.6
2013	<Bkg to 1331	43.25	-3.25
2014	<Bkg to 216	45.06	-1.44
2015	<Bkg to 901	39.8	- 6.7

Table 7. Liquid Effluent Collection Tank Release Data for 2015

Release Date	Gallons Released	Tritium Sample LLD (pCi/L)	Tritium Sample Activity (pCi/L)	Total Tank Activity (Ci)
2/11/2015	12,450	506	8,000	0.000377
5/1/2015	12,750	464	24,300	0.001170
6/14/2015	12,750	463	17,900	0.000863
7/2/2015	12,750	421	4,090	0.000197
7/16/2015	12,750	438	3,180	0.000153
7/28/2015	12,750	392	4,380	0.000211
8/12/2015	12,750	522	3,600	0.000174
8/26/2015	12,750	525	4,050	0.000196
9/17/2015	12,750	657	4,090	0.000197
10/5/2015	12,750	479	7,050	0.000340
11/10/2015	12,750	499	9,060	0.000437
Total	139,950			0.00432

Table 8. Total Fuel Consumption by Fuel Type from 2000 to 2015

Year	Natural Gas (mmcf)	Fuel Oil # 2 or Fuel Oil # 4 (kgals.)
2000	0.387	42.6
2001	0.367	43
2002	0.331	33.8
2003	0.290	61.9
2004*	0.373	62.3
2005	0.427	32.7
2006	0.319	3.8
2007	0.248	49.6
2008	0.271	41
Permit limit	0.886	227
2009	0.275	33.6
2010	0.267	17.5
2011	0.230	8.0
2012	0.201	4.8
2013	0.262	5.0
2014	0.267	18.5
2015	0.209	12.8
Permit limit	2.176	251

* Note: No. 2 Fuel oil consumption first began December 2004.
 No. 4 Fuel oil no longer burned after December 2004.
 mmcf = millions of cubic feet
 kgals. = thousands of gallons

Table 9. Surface Water Analysis for Bee Brook, B1, in 2015*Location B1 = Bee Brook upstream of PPPL basin discharge*

B1							
Parameters	Units	February		May		August	Nov.
Chemical Oxygen Demand, COD	mg/L	19.00		14.00		42.00	118.00
Phosphorus, total	mg/L	< 0.021	<	0.011		0.140	0.398
Total Organic Carbon, TOC	mg/L					9.540	
Total Suspended Solids, TSS	mg/L	2.00		3.00		4.00	24.00
Field Parameters							
pH	SU	6.74		6.85		6.76	6.84
Oxidation-Reduction Potential, ORP	mV	11.7		1.4		10.0	7.0
Temperature	o C	0.2		17.6		21.6	13.5
Dissolved Oxygen, DO	mg/L	16.91		8.08		-	-

Table 10. Surface Water Analysis for Bee Brook, B2, in 2015*Location B2 = Bee Brook downstream of PPPL basin discharge*

B2							
Parameters	Units	February		May		August	Nov.
Chemical Oxygen Demand, COD	mg/L	15.00		10.00		22.00	22.00
Phosphorus, total	mg/L	0.058	<	0.011		0.204	0.039
Total Organic Carbon, TOC	mg/L					3.160	
Total Suspended Solids, TSS	mg/L	2.00		5.00		42.00	7.00
Field Parameters							
pH	SU	6.91		7.55		8.28	6.65
Oxidation-Reduction Potential, ORP	mV	2.9		-37.4		-76.4	17.6
Temperature	o C	1.2		17.7		22.8	10.3
Dissolved Oxygen, DO	mg/L	12.91		9.88		-	-

Table 11. Surface Water Analysis for Delaware & Raritan Canal, C1, in 2015*Location C1 = Delaware & Raritan Canal State Park at Mapleton Avenue, Plainsboro midway on pedestrian bridge*

C1							
Parameters	Units	January	Feb.	March	April	May	June
Chemical Oxygen Demand, COD	mg/L	14.00	11.00	11.00	11.00	20.00	15.00
Phosphorus, total	mg/L	< 0.02	0.038	0.050	0.015	0.035	0.133
Total Organic Carbon, TOC	mg/L						
Total Suspended Solids, TSS	mg/L	4.00	2.00	3.00	2.00	7.00	6.00
Field Parameters							
pH	SU	6.88	6.92	7.56	6.89	7.52	7.15
Oxidation-Reduction Potential, ORP	mV	-	2.1	-31.3	-1.7	-35.9	-17.4
Temperature	o C	4.30	-0.6	0.6	12.9	20.4	20.6
Dissolved Oxygen, DO	mg/L	11.49	12.54	14.21	10.33	10.68	-

C1							
Parameters	Units	July	Aug.	Sept.	Oct.	Nov.	Dec.
Chemical Oxygen Demand, COD	mg/L	20.00	17.00	18.00	16.00	20.00	12.00
Phosphorus, total	mg/L	0.02	0.096	0.096	0.080	0.058	< 0.047
Total Organic Carbon, TOC	mg/L		4.070				
Total Suspended Solids, TSS	mg/L	5.00	8.00	2.00	3.00	3.00	2.00
Field Parameters							
pH	SU	7.13	6.86	7.00	6.85	6.66	6.97
Oxidation-Reduction Potential, ORP	mV	-3.10	4.2	2.3	8.7	16.8	-1.9
Temperature	o C	24.20	27.3	25.8	17.0	13.1	9.1
Dissolved Oxygen, DO	mg/L	-	-	-	-	-	-

Table 12. Surface Water Analysis for Elizabethtown Water, E1, in 2015*Location E1 = Elizabethtown Water (potable) collected at Main Gate Security Booth*

E1							
Parameters	Units	February	May	August	Nov.		
Chemical Oxygen Demand, COD	mg/L	J 9.00	11.00	J 15.00	18.00		
Phosphorus, total	mg/L	0.747	0.172	0.179	0.548		
Total Organic Carbon, TOC	mg/L			2.280			
Total Suspended Solids, TSS	mg/L	< 2.00	< 2.00	5.00	< 2.00		
Field Parameters							
pH	SU	6.69	6.82	6.75	6.65		
Oxidation-Reduction Potential, ORP	mV	15.1	3.1	10.4	17.6		
Temperature	o C	12.0	21.8	22.9	16.3		
Dissolved Oxygen, DO	mg/L	11.30	8.17	-	-		

Table 13. Surface Water Analysis for Millstone River, M1, in 2015

Location M1 = Millstone River at Delaware & Raritan Canal State Park at Mapleton Road

Parameters	Units	February	May	August	Nov.
Chemical Oxygen Demand, COD	mg/L	18.00	21.00	25.00	29.00
Phosphorus, total	mg/L	0.073 <	0.011	0.081	0.081
Total Organic Carbon, TOC	mg/L			6.260	
Total Suspended Solids, TSS	mg/L	11.00	8.00	275.00	21.00
Field Parameters					
pH	SU	7.11	6.91	6.75	6.87
Oxidation-Reduction Potential, ORP	mV	-7.8	-	10.7	5.5
Temperature	o C	-1.0	24.1	28.8	14.3
Dissolved Oxygen, DO	mg/L	12.53	9.56	-	-

Table 14. Surface Water Analysis for Cranbury Brook (Plainsboro), P1, in 2015

Location P1 = Cranbury Brook at George Davison Road, Plainsboro mid-span on bridge southbound

Parameters	Units	February	May	August	Nov.
Chemical Oxygen Demand, COD	mg/L	20.00	19.00	20.00	23.00
Phosphorus, total	mg/L	0.043	0.049	0.061	0.037
Total Organic Carbon, TOC	mg/L			3.890	
Total Suspended Solids, TSS	mg/L	9.00	11.00	6.00	7.00
Field Parameters					
pH	SU	6.76	6.73	6.67	6.71
Oxidation-Reduction Potential, ORP	mV	10.8	-	14.8	14.5
Temperature	o C	0.6	22.3	25.6	12.9
Dissolved Oxygen, DO	mg/L	12.03	6.52	-	-

Table 15. Surface Water Analysis for Devil's Brook (Plainsboro), P2, in 2015

Location P2 = Devil's Brook at Schalks Road overpass, adjacent to Amtrak railroad tracks

Parameters	Units	February	May	August	Nov.
Chemical Oxygen Demand, COD	mg/L	21.00	32.00	18.00	22.00
Phosphorus, total	mg/L <	0.021	0.017	0.042	0.023
Total Organic Carbon, TOC	mg/L			0.847	
Total Suspended Solids, TSS	mg/L	2.00	7.00	6.00	6.00
Field Parameters					
pH	SU	6.96	6.76	6.77	6.76
Oxidation-Reduction Potential, ORP	mV	-	6.8	9.5	11.5
Temperature	o C	2.8	23.8	22.1	13.1
Dissolved Oxygen, DO	mg/L	9.18	8.40	-	-

Table 16. DSN001 – Retention Basin Outfall Surface Water Analysis (NJPDES NJ0023922) in 2015

DSN001														
Parameters	Units	Permit Limit	January	Feb.	March	April	May	June						
Chemical Oxygen Demand,	mg/L	50.0	J	10.00	J	7.00	13.00	<	4.70	10.00	18.00			
Phosphorus, total	mg/L			0.073	<	0.011	0.133		0.040	0.040	0.079			
Tetrachloroethylene, PCE	ug/L	0.703	J	0.46	J	0.50	J	0.35	J	0.40	J	0.36	J	0.32
Total Petroleum Hydrocarbon, TPHC	mg/L	15 Max 10 Avg	<	1.890	<	1.890	<	1.890	<	1.890	<	1.890	<	1.890
Total Organic Carbon, TOC	mg/L													
Total Suspended Solids, TSS	mg/L	50.0		3.00		2.00	32.00		5.00		3.00		4.00	
Field Parameters														
Chlorine Produced Oxidants, CPO	mg/L	0.1		0.04		0.00	0.01		0.05		0.04		0.060	
						0.02	0.08				0.07		0.020	
pH	SU	>6; <9		6.94		7.21	7.2		7.25		7.68		7.32	
Oxidation-Reduction Potential,	mV			2.1		-12.1	-12.2		-20.9		-41.9		-25.7	
Temperature (Max)	o C	30		9.3		8.3	5.5		17.6		17.7		16.4	
Dissolved Oxygen, DO	mg/L			10.98		11.25	11.65		9.27		10.29		-	

DSN001														
Parameters	Units	Permit Limit	July	August	Sept.	Oct.	Nov.	Dec.						
Chemical Oxygen Demand,	mg/L	50.0		15.00	J	21.00	21.00	J	6.00	15.00	J	7.00		
Phosphorus, total	mg/L			<	0.011	0.086	0.233		0.109	0.034		0.050		
Tetrachloroethylene, PCE	ug/L	0.703	J	0.25	J	0.24	J	0.25	<	0.14	J	0.32	J	0.36
									J	0.29				
Total Petroleum Hydrocarbon,	mg/L	15	<	1.89	<	1.89	<	1.89	<	1.89	<	1.89	<	1.89
Total Organic Carbon, TOC	mg/L					4.43								
Total Suspended Solids, TSS	mg/L	50.0		5.00		18.00	6.00		6.00		4.00		3.00	
Field Parameters														
Chlorine Produced Oxidants,	mg/L	0.1		0.02		0.120	0.040		0.03		0.02		0.06	
pH	SU	>6; <9		8.53		8.91	8.48		7.91		6.71		6.68	
Oxidation-Reduction	mV			-85.2		-	-76.8		-48.8		14.3		-14.9	
Temperature (Max)	o C	30		23.2		22.5	23.3		18.5		14.3		12.3	
Dissolved Oxygen, DO	mg/L			-		-	-		-		-		-	

Table 17. D&R Canal Pump House – DSN003
Monthly Surface Water Analysis (NJPDES NJ0023922) in 2015

DSN003									
Parameters	Units	Permit Limit	January	Feb.	March	April	May	June	
Chemical Oxygen Demand,	mg/L	50	15.00	16.00	J	9.00	10.00	15.00	19.00
Phosphorus, total	mg/L	<	0.021	0.05	0.06	0.16	0.05	0.14	
Total Petroleum	mg/L	15 <	1.89 <	1.89 <	1.89 <	1.89 <	1.89 <	1.89 <	1.89
Total Organic Carbon, TOC	mg/L								
Total Suspended Solids, TSS	mg/L		4.00	4.00 <	2.00	4.00	6.00	5.00	
Field Parameters									
Chlorine Produced Oxidants,	mg/L	0.1	0.00	0.02	0.01	0.00	0.010	0.04	
pH	SU	>6;<9	0.03			0.00			
Oxidation-Reduction	mV		6.92	6.71	7.63	6.84	6.94	7.01	
Temperature (Max)	o C	30	3.00	13.60	-35	-	-	-	
Dissolved Oxygen, DO	mg/L		5.30	4.10	2.70	14.10	22.00	22.40	

DSN003									
Parameters	Units	Permit Limit	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Chemical Oxygen Demand,	mg/L	50	24.00	22.00	18.00	11.00	21.00	J	9.00
Phosphorus, total	mg/L	<	0.08 <	0.02	0.08	0.10	0.06	0.08	
Total Petroleum Hydrocarbon,	mg/L	15 <	1.89 <	1.89 <	1.89 <	1.89 <	1.89 <	1.89 <	1.89
Total Organic Carbon, TOC	mg/L			4.24					
Total Suspended Solids, TSS	mg/L		10.00	8.00	5.00	8.00 <	2.00	4.00	
Field Parameters									
Chlorine Produced Oxidants,	mg/L	0.1	0.01	0.040	0.01	0.01	0.00	0.01	
pH	SU	>6;<9	7.03	6.85	7.05	6.92	6.86	7.03	
Oxidation-Reduction	mV		2.95	4.70	-0.30	5.25	5.80	-5.30	
Temperature (Max)	o C	30	23.60	27.90	26.40	18.20	15.10	11.50	
Dissolved Oxygen, DO	mg/L		-	-	-	-	-	-	

Blank indicates no measurement NA = not applicable NL = no limit

Table 18. Summary of Ground Water Sampling Results – March 2015
Target Chlorinated Volatile Organic Compounds (VOC)

Well No.		MW-3S	MW-5I	MW-5S	MW-9S	MW-12S	MW-13S	MW-13I	MW-17	MW-18	MW-19S	MW-19I	MW-22S	NJ
Target Volatile Organic Compounds (ug/L)														Ground
Tetrachloroethylene		<0.130	<0.130	0.500 J	0.320 J	<0.130	18.1	10.7	7.43	<0.130	38.1	<0.130	<0.130	1
Trichloroethylene		<0.190	1.98	<0.190	<0.190	<0.190	7.46	0.380 J	0.620 J	<0.190	1.59	<0.190	<0.190	1
c-1,2-Dichloroethylene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	70
t-1,2-Dichloroethylene		<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	100
1,1,1-Trichloroethane		<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.230 J	<0.200	30
1,1-Dichloroethylene		<0.210	<0.210	<0.210	<0.210	<0.210	0.430 J	0.370 J	<0.210	<0.210	<0.210	<0.210	<0.210	2
Chloroform		<0.150	<0.150	<0.150	<0.150	<0.150	0.400 J	0.580 J	<0.150	0.320 J	<0.150	0.150 J	0.240 J	6
Vinyl Chloride		<0.230	<0.230	<0.230	<0.230	<0.230	0.270 J	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	2
Tentatively Identified Compounds (ug/L)														
Unknown		93.1 JB	59.2 JB	35.4 JB	41.4 JB	46.4 JB	65.5 JB	54.4 JB	58.9 JB	46.8 JB	70.2 JB	38.2 JB	35.4 JB	--
Natural Attenuation Indicators														
Chloride	mg/L	17.4	610	258	4.00 J	270	93.1	12.9	13.2	19	6.58	204	60.9	250
Manganese	mg/L	1420	807	13.7	1.75 B	4.1	1540	19.3	153	186	54.3	9.47	22.3	0.05
Alkalinity	mg/L	177	124	10.9	84.5	60.6	39.8	113	69.7	9.35	10.3	13.4	26.2	--
Nitrate as N	mg/L	0.197 J	<0.0283	1.63	<0.0814	3.34	<0.0814	0.117 J	<0.0814	<0.0814	0.205 J	1.44	0.350 J	10
Nitrite	mg/L	<0.0065	<0.00650	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	1
Sulfide	mg/L	<0.0065	0.00700 J	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	--
Sulfate	mg/L	19.2	20	8.43	5.82	11.8	15.6	17.3	15.2	25.5	40.9	7	20.9	250
Total Organic Carbon	mg/L	17	0.549	0.425 J	3.44	0.727	1.25	0.389 J	1.22	1.43	1.92	0.405 J	0.738	--
Ferrous Iron	mg/L	<0.20	0.44	<0.20	<0.20	<0.20	1.8	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	--
Dissolved Methane	ug/L	<0.030	0.17	0.16	<0.030	<0.030	0.27	<0.030	<0.030	<0.030	<0.030	0.26	<0.030	--
Dissolved Oxygen	mg/L	11.73	2.58	NA	12.95	8.75	6.24	5.4	4.67	5.86	8.11	9.42	9.16	--
pH	std. units	6.08	7.12	NA	6.9	6.58	5.55	6.56	6.27	5.6	5.14	5.19	5.82	--
Redox Potential	mVe	396	-5	NA	394	370	245	333	216	294	448	453	428	--

NOTES: J - Estimated, concentration listed greater than the MDL but lower than the lowest standard.

N - Indicates presumptive evidence of the compound's presence.

* MW-26 is duplicate sample from well MW-13S.

Ground water quality standards as published in N.J.A.C. 7:9-6.9.

-- Compound-specific Ground Water Quality Standard not published.

NA - Field parameters not collected due to low water level in well or equipment malfunction

Table 18 cont. Summary of Ground Water Sampling Results –March 2015
Target Chlorinated Volatile Organic Compounds (VOC), Monitored Natural Attenuation (MNA)

Well No.		MW-23	MW-24	MW-25S	MW-26S*	Basin Outflow	D-MG Sump	D-SITE AIR SHAFT	TB-1 3/23	TB-2 3/24	TB-3 3/25	TB-4 3/26	NJ Ground	
Target Volatile Organic Compounds (ug/L)														
	Tetrachloroethylene	<0.130	<0.130	0.180 J	18.6	0.480 J	13.4	1.72	<0.130	<0.130	<0.130	<0.130	1	
	Trichloroethylene	<0.190	<0.190	<0.190	7.2	<0.190	1.49	0.280 J	<0.190	<0.190	<0.190	<0.190	1	
	c-1,2-Dichloroethylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	70	
	t-1,2-Dichloroethylene	<0.170	<0.170	<0.170	0.170 J	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	<0.170	100	
	1,1,1-Trichloroethane	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	30	
	1,1-Dichloroethylene	<0.210	<0.210	<0.210	0.430 J	<0.210	0.310 J	<0.210	<0.210	<0.210	<0.210	<0.210	2	
	Chloroform	<0.150	0.810 J	<0.150	0.380 J	0.150 J	0.340 J	0.350 J	<0.150	<0.150	<0.150	<0.150	6	
	Vinyl Chloride	<0.230	<0.230	<0.230	0.340 J	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	2	
Tentatively Identified Compounds (ug/L)														
	Unknown	56.2 JB	59.0 JB	58.7 JB	64.1 JB	45.6 JB	55.3 JB	38.1 JB	20.5 JB	15.2 JB	21.8 JB	13.2 JB	--	
Natural Attenuation Indicators														
	Chloride	mg/L	4.33 J	7.65	110	94.1	280	260	233	-	-	-	-	250
	Manganese	mg/L	53.8	6.53	5630	1570	96.4	5720	83.9	-	-	-	-	0.05
	Alkalinity	mg/L	<2.00	33.8	89.5	39.5	61.7	83.7	97.8	-	-	-	-	--
	Nitrate as N	mg/L	<0.0814	0.102 J	<0.0814	<0.0814	1.3	0.825	1.16	-	-	-	-	10
	Nitrite	mg/L	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	-	-	-	-	1
	Sulfide	mg/L	<0.0065	<0.0065	<0.0065	<0.0065	<0.0065	0.311	<0.0065	-	-	-	-	--
	Sulfate	mg/L	46.5	17.8	21.6	15.6	18.7	18.1	17.1	-	-	-	-	250
	Total Organic Carbon	mg/L	1.68	0.694	1.64	1.27	1.46	1.12	0.655	-	-	-	-	--
	Ferrous Iron	mg/L	<0.20	<0.20	<0.20	2.2	<0.20	<0.20	<0.20	-	-	-	-	--
	Dissolved Methane	ug/L	0.26	<0.030	<0.030	0.13	<0.030	<0.030	<0.030	<0.030	<0.030	<0.030	<0.030	--
	Dissolved Oxygen	mg/L	8.7	11.35	11.95	-	-	-	-	-	-	-	-	--
	pH	std. units	4.48	5.79	6.48	-	-	-	-	-	-	-	-	--
	Redox Potential	mVe	460	394	150	-	-	-	-	-	-	-	-	--

NOTES: B - Contaminant also detected in blank
J - Estimated, concentration listed greater than the MDL but lower than the lowest standard.
N - Indicates presumptive evidence of the compound's presence.
NA - Not Analyzed

-- Compound-specific Ground Water Quality Standard not published.
* MW-26 is duplicate sample from well MW-13S.
Ground water quality standards as published in N.J.A.C. 7:9-6.9.

**Table 19 Summary of Ground Water Sampling Results –June 2015
Target Chlorinated Volatile Organic Compounds (VOC), Monitored Natural Attenuation (MNA)**

Well No.		MW-3S	MW-9S	MW-5I	MW-5S	MW-13S	MW-17	MW-18	MW-19S	MW-25S	D-MG Sump	MW-26S *	TB-1	NJ Ground	
Target Volatile Organic Compounds (ug/L)															
	Tetrachloroethylene	<0.130	29.7	<0.130	1.2	24.2	27.8	0.200 J	48.1	0.350 J	38.0	22.1	<0.130	1	
	Trichloroethylene	<0.190	3.45	<0.230	<0.190	6.94	1.25	<0.190	1.67	0.780 J	4.19	6.21	<0.190	1	
	c-1,2-Dichloroethylene	<0.210	1.03	4.19	<0.210	9.99	0.590 J	<0.210	0.690 J	1.56	2.28	8.94	<0.210	70	
	1,1,1-Trichloroethane	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	30	
	1,1-Dichloroethylene	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	0.507 J	0.320 J	<0.210	1	
	Chloroform	<0.150	1.40	<0.150	<0.150	0.350 J	1.10	<0.150	<0.150	<0.150	0.190 J	0.320 J	<0.150	70	
	Vinyl Chloride	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	1	
Tentatively Identified Compounds (ug/L)															
	Unknown	21.6 J	18.1 J	12.8 J	7.30 J	22.7 J	12.0 J	14.9 J	16.3 J	15.6 J	12.6 J	15.0 J	ND	—	
Natural Attenuation Indicators															
	Dissolved Oxygen	mg/L	0.0	1.16	3.07	NA	4.43	2.21	0.0	5.64	0.0	NA	NA	NA	—
	pH	Std. Units	5.93	5.76	7.03	NA	5.50	5.43	5.10	5.66	6.39	NA	NA	NA	—
	Redox Potential	mVe	102	255	6	NA	138	234	2.41	364	75	NA	NA	NA	—

NOTES:

J - Estimated, concentration listed greater than the MDL but lower than the lowest standard.

N - Indicates presumptive evidence of the compound's presence.

ND - Analyte Not Detected

NA - Analyte Not Analyzed For

Ground water quality standards as published in N.J.A.C. 7:9-6.9.

— Compound-specific Ground Water Quality Standard not published.

* MW-26S is duplicate sample from well MW-13S.

Table 20. Summary of Ground Water Sampling Results –September 2015
Target Chlorinated Volatile Organic Compounds (VOC), Monitored Natural Attenuation (MNA)

Well No.	MW-3S	MW-9S	MW-5I	MW-13S	MW-17	MW-18	MW-19S	MW-25S	D-MG Sump	MW-26S *	TB-1	TB-2	NJ Ground	
Target Volatile Organic Compounds (ug/L)														
Tetrachloroethylene	0.190 J	17.1	<0.130	17.5	30.7	<0.130	70	0.170 J	42.8	16.6	<0.130	<0.130	1	
Trichloroethylene	0.270 J	24.3	0.630 J	6.68	2.26	0.550 J	2.35	1.49	4.86	6.34	<0.190	<0.190	1	
c-1,2-Dichloroethylene	0.270 J	9.23	1.35	12.6	0.360 J	<0.210	1.06	2.38	3.04	12.6	<0.210	<0.210	70	
1,1,1-Trichloroethane	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	30	
1,1-Dichloroethylene	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	<0.210	0.860 J	<0.210	<0.210	<0.210	1	
Chloroform	<0.150	0.340 J	<0.150	0.240 J	1.07	<0.150	<0.150	<0.150	<0.150	0.270 J	<0.150	<0.150	70	
Vinyl Chloride	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	<0.230	1.16	<0.230	<0.230	1	
Tentatively Identified Compounds (ug/L)														
Unknown	28.3 J	13.9 J	14.4 J	23.4 J	16.8 J	11.6 J	17.2 J	18.0 J	12.6 J	14.6 J	ND	ND	—	
Natural Attenuation Indicators														
Dissolved Oxygen	mg/L	2.10	3.73	0.0	6.30	5.91	0.6	4.86	2.42	NA	NA	NA	NA	—
pH	Std. Units	5.54	5.58	6.71	5.38	5.17	5.37	4.56	6.06	NA	NA	NA	NA	—
Redox Potential	mVe	169	87	-99	40	151	170	145	15	NA	NA	NA	NA	—

NOTES:

J - Estimated, concentration listed greater than the MDL but lower than the lowest standard.

N - Indicates presumptive evidence of the compound's presence.

ND - Analyte Not Detected

NA - Not Analyzed

Ground water quality standards as published in N.J.A.C. 7:9-6.9.

– Compound-specific Ground Water Quality Standard not published.

* MW-26S is duplicate sample from well MW-13S.

** MW-5S was not sampled due to low water level in the well.

Table 21. Summary of Ground Water Sampling Results –December 2015
Target Chlorinated Volatile Organic Compounds (VOC)

Well No.	MW-3S	MW-9S	MW-5I	MW-13S	MW-17	MW-18	MW-19S	MW-25S	D-MG Sump	MW-26S *	TB	TB-2	NJ Ground	
Target Volatile Organic Compounds (ug/L)														
Tetrachloroethylene	<0.140	3.52	<0.140	16.4	20.4	0.510 J	90.6	<0.130 Q	40.8	15.8	<0.140	<0.130	1	
Trichloroethylene	<0.140	4.2	2.09	7.93	2.83	0.460 J	3.52	1.27 Q	4.43	7.72	<0.140	<0.190	1	
c-1,2-Dichloroethylene	<0.180	1.27	<0.180	<0.180	0.470 J	<0.210	1.98	1.99 Q	2.82	<0.180	<0.180	<0.210	70	
1,1,1-Trichloroethane	<0.170	<0.200	<0.170	<0.170	<0.200	<0.200	<0.200	<0.200 Q	<0.200	<0.170	<0.170	<0.200	30	
1,1-Dichloroethylene	<0.350	<0.210	<0.350	<0.350	<0.210	<0.210	<0.210	<0.210 Q	0.720 J	<0.350	<0.350	<0.210	1	
Chloroform	<0.140	<0.150	<0.140	0.26	0.570 J	<0.150	<0.150	<0.150 Q	<0.150	0.300 J	<0.140	<0.150	70	
Vinyl Chloride	<0.290	<0.230	<0.290	0.750 J	<0.230	<0.230	<0.230	<0.230 Q	<0.230	0.800 J	<0.290	<0.230	1	
Tentatively Identified Compounds (ug/L)														
1,1,2-Trifluoroethane	–	–	–	4.41 JN	–	–	–	–	–	4.51 JN	–	–	5,000	
1,1,2-trichloro-1,2,2-trifluoro-ethane	–	–	–	32.0 JN	–	–	–	–	–	31.2 JN	–	–	20,000	
1,2-dichloro-1,1,2-trifluoro-ethane	–	–	–	3.64 JN	–	–	–	–	–	–	–	–	–	
(Z)-1,2-dichloro-ethene	–	–	6.93 JN	16.2 JN	–	–	–	–	–	17.1 JN	–	–	70	
Unknown Alkane	ND	36.2 J	–	–	19.5 J	29.1 J	34.1 J	21.7 J	22.9 J	3.60 J	ND	7.56 J	–	
Natural Attenuation Indicators														
Dissolved Oxygen	mg/L	2.26	1.79	4.75	0.0	0.0	0.0	0.28	0.08	NA	NA	NA	NA	–
pH	Std. Units	6.11	6.63	6.77	6.04	5.65	5.72	5.19	6.50	NA	NA	NA	NA	–
Redox Potential	mVe	255	252	-17	110	195	228	230	98	NA	NA	NA	NA	–

NOTES:

- J - Estimated, concentration listed greater than the MDL but lower than the lowest standard.
- N - Indicates presumptive evidence of the compound's presence.
- Q - Matrix Spike and Matrix Spike Duplicate recoveries were outside of laboratory control limits.
- ND - Analyte Not Detected
- NA - Not Analyzed
- Ground water quality standards as published in N.J.A.C. 7:9-6.9.
- Compound-specific Ground Water Quality Standard not published.
- * MW-26S is duplicate sample from well MW-13S.
- ** MW-5S was not sampled due to low water level in the well.

Table 22. Summary of Groundwater Sampling Results – D-Site MG Sump, 2015

D Site MG													
Parameters	Units	January	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chemical Oxygen Demand, COD	mg/L		J 7.00			10.00			12.00			16.00	
Phosphorus, total	mg/L	1.71	1.370	1.720	0.179	0.219	0.202	J 0.01	0.071	0.140	0.188	0.028	< 0.011
Total Organic Carbon, TOC	mg/L												
Total Suspended Solids, TSS	mg/L		27.00			14.00			40.00			8.00	

Blank indicates no measurement NA = not applicable NL = no limit

Table 23. Summary of Groundwater Sampling Results – D-Site Airshaft Sump, 2015

D Site Airshaft													
Parameters	Units	January	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chemical Oxygen Demand, COD	mg/L		J 9.00			J 8.00			16.00			J 18.00	
Phosphorus, total	mg/L	0.06	< 0.043	0.541	0.015	0.025	0.040	< 0.01	0.076	0.071	0.058	0.028	< 0.028
Total Organic Carbon, TOC	mg/L												
Total Suspended Solids, TSS	mg/L		< 2.00			< 2.00						< 2.00	

Blank indicates no measurement NA = not applicable NL = no limit

Table 24. Quality Assurance Data for Radiological and Non-Radiological Samples for 2015

Laboratory, Program and Parameter	Reported Value	Actual Value	Acceptance Range	Acceptable Not Acceptable
ERA (pCi/L)				
October 2015 RAD 103				
Barium-133	31.8	32.5	25.9 - 36.7	Acceptable
Cesium-134	60.1	62.3	50.6 - 68.5	Acceptable
Cesium-137	164.43	157	141 - 175	Acceptable
Cobalt-60	78.81	71.1	64.0 - 80.7	Acceptable
Zinc-65	18.58	126	113 - 149	Acceptable
Tritium	21457.66	21300	18700 - 23400	Acceptable
April 2015 RAD-101				
Barium-133	82.56	82.5	69.3 - 90.8	Acceptable
Cesium-134	72.32	75.7	61.8 - 83.3	Acceptable
Cesium-137	195.15	189	170 - 210	Acceptable
Cobalt-60	89.42	84.5	76.0 - 95.3	Acceptable
Zinc-65	219.73	203	183 - 238	Acceptable
Tritium	3326.13	3280	2770 - 3620	Acceptable
April 2015 WP-0316				
pH (S.U.)	9.48	9.625	9.28 - 9.68	Acceptable
Residual Chlorine (mg/L)	1.89	2.21	1.39 - 2.22	Acceptable

Table 25. Waste Characterization Report (WCR) Surface Water Sampling 2015

No limits exceeded, parameters listed above non-detect

Laboratory Parameter	Reported Value ug/L	
DSN001		
Semi Annual	May	December
Barium	0.255	0.217
Calcium	53.0	-
Copper	0.0144	0.00360
Magnesium	18.8	-
Manganese	0.126	0.0811
Nickel	0.0038 B	0.000757 B
Thallium	-	0.00920 B
Zinc	0.0179	0.0118
Annual	July	November
Chromium	-	1.50
Tetrachloroethylene	-	0.250
DSN003		
Annual	May	
Arsenic	0.000508 B	
Barium	0.0428	
Copper	0.00340	
Lead	0.00069 B	
Nickel	0.00150 B	
Zinc	0.0120	

Figure 1. PCE Distribution for Shallow Groundwater Wells Annual Sampling Event- March 2015





Figure 2. Potentiometric Surface Contours Shallow Groundwater Wells Annual Sampling Event- March 2015



Appendix

B

REPORT DISTRIBUTION LIST

Italics indicate Report in hard copy; notice of Report availability via Web; and [#] copies, if more than one.

Domestic External Distribution

Argonne National Laboratory
Battelle Pacific Northwest Laboratory
Brookhaven National Laboratory
Congress (*Sen. C. Booker, Sen. R. Menendez, Rep. R. Frdinghuysen, Rep. L. Greenstein*)
Congressional Information Service
DOE Office of Science Integrated Support Center (ISC) Chicago Office (CH)
DOE Office of Environmental Protection, Sustainability Support, Corporate Safety and Analysis, AU-20,
 A. Lawrence, Deputy Assistant Secretary [1]
DOE Office of Environment, Health, Safety and Security (*R. Natdi*) [1]
DOE Office of Fusion Energy Research [1]
DOE Office of Science [1]
EPA/ Region II
DOE Princeton Site Office (*P. Johnson, T. Estes*) [3]
Fermilab
Forrestal Development Center
General Atomics
Hanford National Laboratory
Lawrence Livermore National Laboratory
Los Alamos National Laboratory
Idaho National Laboratory
Middlesex County Health Department
National Nevada Test Site
NJDEP, Central Bureau of Water Compliance and Enforcement (*G. Pritchard*)
NJDEP, Bureau of Permitting (*M. Carasia Auriti, H. Genievich*)
Oak Ridge National Laboratory
Plainsboro Public Library
Plainsboro Township Environmental Advisory Committee (*E. Mosley*)
Sandia National Laboratory
Savannah River National Laboratory
Thomas Jefferson National Accelerator Facility

PPPL/Princeton University Distribution

G. Ascione	V. L. Finley	J. Jackson-Devoe	K. Morrison	R. S. Sheneman
N. Atnafu	N. J. Fisch	B. Jedic	W. Myers	D. Shoe
W. Blanchard	K. A. Fischer	D. W. Johnson	G. H. Neilson	W. Slavin
T. Brog	C. Gentile	M. Kevin-King	M. Ono	D. Stevenson
C. Cane	R. J. Goldston	J. Lacenere	R. Ortego	T. Stevenson
J. De Looper	J. Graham	J. D. Levine	PPPL Library	M. Zarnstorff
M. Donahue	R. J. Hawryluk	J. Menard	S. Prager	S. Zelick
C. Eisgruber	J. C. Hosea	L. Meyer	K. Rule	S. J. Zweben
K. Ferraro	M. Hughes	L. Bernard		✱

Princeton Plasma Physics Laboratory

Report Disclaimers

Full Legal Disclaimer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Trademark Disclaimer

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

PPPL Report Availability

Princeton Plasma Physics Laboratory:

<http://www.pppl.gov/techreports.cfm>

Office of Scientific and Technical Information (OSTI):

<http://www.osti.gov/scitech/>

Related Links:

[U.S. Department of Energy](#)

[U.S. Department of Energy Office of Science](#)

[U.S. Department of Energy Office of Fusion Energy Sciences](#)

Princeton Plasma Physics Laboratory Office of Reports and Publications

Managed by
Princeton University

under contract with the
U.S. Department of Energy
(DE-AC02-09CH11466)

P.O. Box 451, Princeton, NJ 08543
Phone: 609-243-2245
Fax: 609-243-2751

E-mail: publications@pppl.gov

Website: <http://www.pppl.gov>